

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU041624\
 Data File : VU058714.D
 Acq On : 16 Apr 2024 14:29
 Operator : MD/SY
 Sample : P2058-01
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0BQ4

Quant Time: Apr 17 01:12:29 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR040424WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Wed Apr 17 01:09:43 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.242	114	81347	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.412	117	80973	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.807	152	32968	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.592	65	29807	5.535	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	110.600%
7) Chloroethane-d5	1.907	69	26216	5.601	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	112.000%
11) 1,1-Dichloroethene-d2	2.560	65	12865	5.278	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	105.600%
20) 2-Butanone-d5	4.615	46	58897	51.893	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	103.780%
24) Chloroform-d	5.052	84	56345	5.241	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	104.800%
26) 1,2-Dichloroethane-d4	5.692	65	27770	5.535	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	110.600%
32) Benzene-d6	5.717	84	107019	4.909	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	98.200%
36) 1,2-Dichloropropane-d6	6.682	67	35337	5.169	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	103.400%
41) Toluene-d8	7.891	98	88513	4.578	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	91.600%
43) trans-1,3-Dichloroprop...	8.174	79	10736	5.059	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	101.200%
46) 2-Hexanone-d5	8.631	63	39012	44.570	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	89.140%
56) 1,1,2,2-Tetrachloroeth...	10.749	84	22233	4.607	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	92.200%
66) 1,2-Dichlorobenzene-d4	12.187	152	27384	4.932	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	98.600%
Target Compounds						Qvalue
47) Tetrachloroethene	8.547	164	115444	21.284	ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU041624\
Data File : VU058714.D
Acq On : 16 Apr 2024 14:29
Operator : MD/SY
Sample : P2058-01
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 14 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0BQ4

Quant Time: Apr 17 01:12:29 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR040424WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Wed Apr 17 01:09:43 2024
Response via : Initial Calibration

