

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU041724\
 Data File : VU058734.D
 Acq On : 17 Apr 2024 14:56
 Operator : MD/SY
 Sample : P2055-19
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VHBLK001

Quant Time: Apr 18 05:05:41 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR040424WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Thu Apr 18 05:04:53 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.241	114	91273	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.412	117	87865	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.807	152	36744	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.592	65	16756	2.773	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	55.400%
7) Chloroethane-d5	1.904	69	13262	2.525	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	50.600%#
11) 1,1-Dichloroethene-d2	2.560	65	8217	3.004	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	60.000%
20) 2-Butanone-d5	4.627	46	36861	28.945	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	57.900%
24) Chloroform-d	5.055	84	37099	3.075	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	61.600%#
26) 1,2-Dichloroethane-d4	5.695	65	18998	3.375	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	67.400%#
32) Benzene-d6	5.721	84	71418	3.019	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	60.400%#
36) 1,2-Dichloropropane-d6	6.682	67	22755	3.067	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	61.400%
41) Toluene-d8	7.894	98	58374	2.783	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	55.600%#
43) trans-1,3-Dichloroprop...	8.177	79	7103	3.085	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	61.600%
46) 2-Hexanone-d5	8.630	63	25570	26.922	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	53.840%
56) 1,1,2,2-Tetrachloroeth...	10.753	84	14368	2.743	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	54.800%#
66) 1,2-Dichlorobenzene-d4	12.190	152	18576	3.002	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	60.000%#
Target Compounds						Qvalue
16) Methylene chloride	3.036	84	1792	0.209	ug/L	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU041724\
Data File : VU058734.D
Acq On : 17 Apr 2024 14:56
Operator : MD/SY
Sample : P2055-19
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 6 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VHBLK001

Quant Time: Apr 18 05:05:41 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR040424WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Thu Apr 18 05:04:53 2024
Response via : Initial Calibration

