

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU042120\
 Data File : VU037828.D
 Acq On : 21 Apr 2020 16:36
 Operator : JC/MD
 Sample : L2317-06
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :

Quant Time: Apr 22 02:18:25 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM042120WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed Apr 22 02:16:18 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.28	114	514848	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.44	117	493359	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.83	152	243671	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	211735	46.01	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	92.02%
7) Chloroethane-d5	1.93	69	177490	47.27	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	94.54%
11) 1,1-Dichloroethene-d2	2.59	63	272639	35.04	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	70.08%
21) 2-Butanone-d5	4.67	46	375287	99.90	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	99.90%
24) Chloroform-d	5.10	84	345638	46.54	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	93.08%
26) 1,2-Dichloroethane-d4	5.74	65	243668	47.61	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	95.22%
32) Benzene-d6	5.76	84	737848	48.25	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	96.50%
36) 1,2-Dichloropropane-d6	6.72	67	252593	49.11	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	98.22%
41) Toluene-d8	7.92	98	673941	48.19	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	96.38%
43) trans-1,3-Dichloropropene-	8.20	79	123692	47.55	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	95.10%
47) 2-Hexanone-d5	8.66	63	271083	100.86	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	100.86%
57) 1,1,2,2-Tetrachloroethane-	10.77	84	337264	47.66	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	95.32%
64) 1,2-Dichlorobenzene-d4	12.20	152	242751	47.24	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	94.48%

Target Compounds


					Ovalue
10) 1,1,2-Trichloro-1,2,2-trif	2.59	101	2890	0.846 ug/L #	32
13) Acetone	2.66	43	18696	7.482 ug/L	96
39) cis-1,3-Dichloropropene	7.59	75	7216	1.003 ug/L #	40
59) 1,2,3-Trichloropropane	11.82	75	33982	5.582 ug/L	89


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU042120\
Data File : VU037828.D
Acq On : 21 Apr 2020 16:36
Operator : JC/MD
Sample : L2317-06
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :

Quant Time: Apr 22 02:18:25 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM042120WMA.M
Quant Title : VOC Analysis
QLast Update : Wed Apr 22 02:16:18 2020
Response via : Initial Calibration





#10

1,1,2-Trichloro-1,2,2-trifluoroethane

Concen: 0.846 ug/L

RT: 2.59 min Scan# 389

Delta R.T. -0.01 min

Lab File: VU037828.D

Acq: 21 Apr 2020 16:36

Instrument :

MSVOA_U

ClientSampleId :


Tot Ion:101 Resp: 2890

Ion Ratio Lower Upper

101 100

85 7.6 35.3 52.9#




151 7.3 55.2 82.8#



Abundance Ion 101.00 (100.70 to 101.70): V

Ion 85.00 (84.70 to 85.70): VU0

Ion 151.00 (150.70 to 151.70): V



#13

Acetone

Concen: 7.482 ug/L

RT: 2.66 min Scan# 409

Delta R.T. 0.00 min

Lab File: VU037828.D


Acq: 21 Apr 2020 16:36

Tgt Ion: 43 Resp: 18696

Ion Ratio Lower Upper



43 100


58 29.1 0.0 63.0



Abundance Ion 43.00 (42.70 to 43.70): VU0

Ion 58.00 (57.70 to 58.70): VU0









#39

cis-1,3-Dichloropropene
 Concen: 1.003 ug/L
 RT: 7.59 min Scan# 1944
 Delta R.T. -0.04 min
 Lab File: VU037828.D
 Acq: 21 Apr 2020 16:36

Instrument :
 MSVOA_U
 ClientSampled :

Tot Ion: 75 Resp: 7216
 Ion Ratio Lower Upper
 75 100
 77 65.2 22.3 41.3#



#59

1,2,3-Trichloropropane
 Concen: 5.582 ug/L
 RT: 11.82 min Scan# 3260
 Delta R.T. 0.98 min
 Lab File: VU037828.D
 Acq: 21 Apr 2020 16:36

Tgt Ion: 75 Resp: 33982
 Ion Ratio Lower Upper
 75 100
 77 37.6 25.4 38.0

