

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU042120\
 Data File : VU037833.D
 Acq On : 21 Apr 2020 18:30
 Operator : JC/MD
 Sample : L2317-05DL 500X
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0F14DL

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM042120WMA.M
 Title : VOC Analysis

Signal : TIC

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.613	78	85	98	rBV	297371	323498	12.51%	1.659%
2	1.928	176	183	198	rVB	238696	312666	12.09%	1.603%
3	2.591	377	389	409	rBV	429576	708718	27.40%	3.635%
4	3.041	525	529	532	rBV3	513	422	0.02%	0.002%
5	3.080	533	541	550	rVB4	2046	3563	0.14%	0.018%
6	3.221	570	585	600	rBV2	14345	32449	1.25%	0.166%
7	3.311	608	613	618	rVB3	700	739	0.03%	0.004%
8	3.346	619	624	625	rBV	302	256	0.01%	0.001%
9	3.366	625	630	631	rBV	642	562	0.02%	0.003%
10	3.459	656	659	660	rBV	487	300	0.01%	0.002%
11	3.494	665	670	671	rBV	454	365	0.01%	0.002%
12	3.581	694	697	700	rBV2	389	287	0.01%	0.001%
13	3.735	742	745	750	rBV3	724	558	0.02%	0.003%
14	3.938	804	808	813	rVB2	342	340	0.01%	0.002%
15	3.967	813	817	819	rBV2	346	226	0.01%	0.001%
16	4.009	825	830	833	rBV	289	282	0.01%	0.001%
17	4.063	842	847	851	rVB	297	274	0.01%	0.001%
18	4.083	851	853	855	rBV2	144	78	0.00%	0.000%
19	4.099	855	858	861	rVV2	403	259	0.01%	0.001%
20	4.115	861	863	866	rVB2	349	153	0.01%	0.001%
21	4.160	875	877	879	rBV2	164	90	0.00%	0.000%
22	4.176	880	882	884	rVV	464	250	0.01%	0.001%
23	4.218	888	895	899	rBV3	351	400	0.02%	0.002%
24	4.427	958	960	961	rBV	194	62	0.00%	0.000%
25	4.517	985	988	992	rBV	405	289	0.01%	0.001%
26	4.539	992	995	997	rBV3	366	226	0.01%	0.001%
27	4.555	997	1000	1001	rBV2	409	206	0.01%	0.001%
28	4.581	1005	1008	1012	rVB3	691	505	0.02%	0.003%
29	4.604	1012	1015	1017	rBV2	269	114	0.00%	0.001%
30	4.665	1019	1034	1060	rBV	266925	635551	24.57%	3.259%
31	5.102	1152	1170	1192	rBV	381553	834213	32.25%	4.278%
32	5.401	1258	1263	1264	rBV2	803	555	0.02%	0.003%
33	5.494	1290	1292	1296	rVB	349	218	0.01%	0.001%
34	5.520	1296	1300	1301	rBV2	258	164	0.01%	0.001%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU042120\
 Data File : VU037833.D
 Acq On : 21 Apr 2020 18:30
 Operator : JC/MD
 Sample : L2317-05DL 500X
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0F14DL

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM042120WMA.M
 Title : VOC Analysis

35	5.629	1331	1334	1338	rVB	315	237	0.01%	0.001%
36	5.661	1338	1344	1347	rBV2	389	325	0.01%	0.002%
37	5.681	1347	1350	1352	rBV	348	228	0.01%	0.001%
38	5.758	1352	1374	1386	rBV2	847807	2286137	88.38%	11.724%
39	6.067	1467	1470	1471	rBV	713	348	0.01%	0.002%
40	6.147	1488	1495	1503	rVB4	1091	1726	0.07%	0.009%
41	6.279	1520	1536	1554	rBV	669184	1248453	48.27%	6.403%
42	6.559	1611	1623	1635	rBV6	8673	15985	0.62%	0.082%
43	6.655	1651	1653	1655	rBV	101	45	0.00%	0.000%
44	6.722	1655	1674	1690	rBV	535198	1033375	39.95%	5.300%
45	6.912	1728	1733	1735	rBV3	599	414	0.02%	0.002%
46	7.018	1765	1766	1768	rBV	135	34	0.00%	0.000%
47	7.034	1768	1771	1773	rBV	410	277	0.01%	0.001%
48	7.063	1777	1780	1782	rBV2	260	154	0.01%	0.001%
49	7.108	1792	1794	1796	rBV	345	147	0.01%	0.001%
50	7.208	1812	1825	1832	rBV3	4402	7725	0.30%	0.040%
51	7.272	1842	1845	1847	rBV3	293	233	0.01%	0.001%
52	7.317	1855	1859	1863	rBV2	525	524	0.02%	0.003%
53	7.366	1870	1874	1878	rBV4	306	331	0.01%	0.002%
54	7.388	1878	1881	1884	rBV2	484	411	0.02%	0.002%
55	7.430	1890	1894	1899	rBV2	285	341	0.01%	0.002%
56	7.462	1899	1904	1907	rBV2	427	533	0.02%	0.003%
57	7.542	1927	1929	1930	rBV	63	27	0.00%	0.000%
58	7.591	1930	1944	1964	rBV	322658	554946	21.45%	2.846%
59	7.819	2007	2015	2018	rBV5	1793	2443	0.09%	0.013%
60	7.922	2033	2047	2064	rBV	1060793	1803793	69.73%	9.250%
61	8.202	2119	2134	2156	rBV	225681	381990	14.77%	1.959%
62	8.391	2191	2193	2195	rBV	289	162	0.01%	0.001%
63	8.488	2214	2223	2231	rBV6	1299	2455	0.09%	0.013%
64	8.603	2256	2259	2260	rBV	364	165	0.01%	0.001%
65	8.655	2261	2275	2303	rBV	771948	1368607	52.91%	7.019%
66	8.851	2333	2336	2340	rBV2	497	406	0.02%	0.002%
67	8.935	2358	2362	2363	rBV2	1762	1266	0.05%	0.006%
68	9.041	2393	2395	2398	rBV2	408	306	0.01%	0.002%
69	9.079	2404	2407	2409	rBV	240	197	0.01%	0.001%
70	9.275	2466	2468	2469	rBV	255	95	0.00%	0.000%
71	9.378	2497	2500	2501	rBV2	210	114	0.00%	0.001%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU042120\
 Data File : VU037833.D
 Acq On : 21 Apr 2020 18:30
 Operator : JC/MD
 Sample : L2317-05DL 500X
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0F14DL

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM042120WMA.M
 Title : VOC Analysis

72	9.385	2501	2502	2504	rBV	299	132	0.01%	0.001%
73	9.436	2504	2518	2522	rBV	995219	1580563	61.10%	8.106%
74	9.587	2560	2565	2572	rBV6	1874	2331	0.09%	0.012%
75	9.713	2598	2604	2610	rVB3	1721	1835	0.07%	0.009%
76	9.960	2679	2681	2687	rBV	270	226	0.01%	0.001%
77	10.009	2692	2696	2700	rBV2	418	431	0.02%	0.002%
78	10.121	2724	2731	2742	rVB8	2615	4399	0.17%	0.023%
79	10.771	2920	2933	2952	rBV	663440	1062105	41.06%	5.447%
80	10.870	2962	2964	2968	rVB3	338	159	0.01%	0.001%
81	10.902	2968	2974	2979	rBV3	1876	2290	0.09%	0.012%
82	11.054	3018	3021	3025	rBV	593	422	0.02%	0.002%
83	11.147	3047	3050	3052	rBV	455	308	0.01%	0.002%
84	11.291	3091	3095	3097	rBV2	548	428	0.02%	0.002%
85	11.391	3124	3126	3128	rBV	473	258	0.01%	0.001%
86	11.758	3230	3240	3249	rBV	72161	110059	4.25%	0.564%
87	11.825	3249	3261	3286	rVB2	1037234	2336375	90.32%	11.982%
88	12.208	3365	3380	3400	rBV3	1154560	2586649	100.00%	13.265%
89	12.668	3520	3523	3525	rBV	479	318	0.01%	0.002%
90	13.864	3885	3895	3908	rBV	115206	183662	7.10%	0.942%
91	14.359	4040	4049	4062	rVB	33542	52700	2.04%	0.270%


Sum of corrected areas: 19499443

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU042120\
Data File : VU037833.D
Acq On : 21 Apr 2020 18:30
Operator : JC/MD
Sample : L2317-05DL 500X
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0F14DL

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM042120WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_U\DATA\VU042120\
Data File : VU037833.D
Acq On : 21 Apr 2020 18:30
Operator : JC/MD
Sample : L2317-05DL 500X
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0F14DL

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM042120WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_U\DATA\VU042120\
Data File : VU037833.D
Acq On : 21 Apr 2020 18:30
Operator : JC/MD
Sample : L2317-05DL 500X
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0F14DL

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM042120WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--			
					#	RT	Resp	Conc