

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU043020\
 Data File : VU037967.D
 Acq On : 30 Apr 2020 22:34
 Operator : JC/MD
 Sample : L2410-23
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 DBFF8

Quant Time: May 01 06:41:52 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM043020WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri May 01 06:13:06 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.28	114	698829	50.00	ug/L	0.00
28) Chlorobenzene-d5	9.44	117	679642	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.83	152	308688	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	271043	44.09	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	88.18%
7) Chloroethane-d5	1.93	69	227367	45.47	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	90.94%
11) 1,1-Dichloroethene-d2	2.59	63	338918	33.71	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	67.42%
21) 2-Butanone-d5	4.66	46	437206	91.00	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	91.00%
24) Chloroform-d	5.10	84	421542	44.29	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	88.58%
26) 1,2-Dichloroethane-d4	5.74	65	306601	46.37	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	92.74%
32) Benzene-d6	5.76	84	936169	46.73	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	93.46%
36) 1,2-Dichloropropane-d6	6.72	67	310427	46.74	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	93.48%
41) Toluene-d8	7.92	98	842209	45.83	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	91.66%
43) trans-1,3-Dichloropropene-	8.20	79	137466	44.13	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	88.26%
47) 2-Hexanone-d5	8.65	63	284879	98.62	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	98.62%
57) 1,1,2,2-Tetrachloroethane-	10.77	84	419578	43.84	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	87.68%
64) 1,2-Dichlorobenzene-d4	12.20	152	299671	46.43	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	92.86%


Target Compounds					Ovalue
13) Acetone	2.65	43	17047	5.509 ug/L	96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU043020\
Data File : VU037967.D
Acq On : 30 Apr 2020 22:34
Operator : JC/MD
Sample : L2410-23
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
DBFF8

Quant Time: May 01 06:41:52 2020
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM043020WMA.M
Quant Title : VOC Analysis
QLast Update : Fri May 01 06:13:06 2020
Response via : Initial Calibration





#13
 Acetone
 Concen: 5.509 ug/L
 RT: 2.65 min Scan# 408
 Delta R.T. -0.00 min
 Lab File: VU037967.D
 Acq: 30 Apr 2020 22:34

Instrument :
 MSVOA_U
 ClientSampleId :
 DBFF8

Tot Ion: 43 Resp: 17047
 Ion Ratio Lower Upper
 43 100
 58 29.9 0.0 64.4

