

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU043020\
 Data File : VU037975.D
 Acq On : 01 May 2020 01:36
 Operator : JC/MD
 Sample : L2410-11DL 20X
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 DBFE6DL

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM043020WMA.M
 Title : VOC Analysis

Signal : TIC

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.610	77	84	96	rBV	437738	460179	16.04%	1.824%
2	1.925	174	182	201	rVB	319835	428527	14.94%	1.698%
3	2.588	377	388	406	rVB	578444	949557	33.11%	3.763%
4	3.218	573	584	602	rVB	23088	52177	1.82%	0.207%
5	3.363	621	629	630	rBV5	955	988	0.03%	0.004%
6	3.475	661	664	665	rBV2	467	237	0.01%	0.001%
7	3.504	670	673	675	rVV2	483	311	0.01%	0.001%
8	3.517	675	677	682	rVB3	690	395	0.01%	0.002%
9	3.813	763	769	772	rBV2	385	424	0.01%	0.002%
10	3.835	772	776	777	rBV2	380	284	0.01%	0.001%
11	3.957	811	814	818	rBV2	418	284	0.01%	0.001%
12	3.999	824	827	831	rBV2	566	469	0.02%	0.002%
13	4.134	866	869	870	rBV	348	194	0.01%	0.001%
14	4.182	879	884	886	rBV	641	457	0.02%	0.002%
15	4.321	923	927	932	rVB5	624	533	0.02%	0.002%
16	4.353	934	937	939	rVB	284	180	0.01%	0.001%
17	4.485	976	978	980	rBV2	264	144	0.01%	0.001%
18	4.498	980	982	984	rBV	291	153	0.01%	0.001%
19	4.539	990	995	996	rBV2	354	245	0.01%	0.001%
20	4.665	1018	1034	1062	rBV2	350370	905024	31.55%	3.586%
21	5.102	1148	1170	1190	rBV	492422	1078963	37.62%	4.276%
22	5.494	1286	1292	1293	rBV2	411	280	0.01%	0.001%
23	5.507	1293	1296	1302	rVV4	560	552	0.02%	0.002%
24	5.546	1306	1308	1311	rVV	487	332	0.01%	0.001%
25	5.562	1311	1313	1320	rVB4	719	573	0.02%	0.002%
26	5.597	1320	1324	1327	rBV2	280	286	0.01%	0.001%
27	5.642	1335	1338	1339	rBV	185	105	0.00%	0.000%
28	5.652	1339	1341	1342	rVB	147	43	0.00%	0.000%
29	5.665	1342	1345	1349	rBV2	367	303	0.01%	0.001%
30	5.758	1350	1374	1402	rBV2	1086093	2868310	100.00%	11.366%
31	5.983	1441	1444	1447	rBV3	781	506	0.02%	0.002%
32	6.189	1506	1508	1510	rBV2	526	282	0.01%	0.001%
33	6.279	1522	1536	1558	rBV	919293	1743490	60.78%	6.909%
34	6.571	1615	1627	1639	rBV4	40559	81389	2.84%	0.323%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU043020\
 Data File : VU037975.D
 Acq On : 01 May 2020 01:36
 Operator : JC/MD
 Sample : L2410-11DL 20X
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 DBFE6DL

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM043020WMA.M
 Title : VOC Analysis

35	6.719	1659	1673	1693	rBV	677550	1313107	45.78%	5.203%
36	6.912	1730	1733	1735	rVB2	770	431	0.02%	0.002%
37	7.128	1798	1800	1803	rVB3	424	246	0.01%	0.001%
38	7.166	1809	1812	1817	rVB2	708	543	0.02%	0.002%
39	7.211	1817	1826	1834	rBV9	2389	4297	0.15%	0.017%
40	7.343	1865	1867	1871	rVB	379	248	0.01%	0.001%
41	7.362	1871	1873	1875	rBV	252	129	0.00%	0.001%
42	7.391	1878	1882	1888	rBV4	601	631	0.02%	0.003%
43	7.472	1905	1907	1908	rBV	295	163	0.01%	0.001%
44	7.510	1915	1919	1921	rBV3	443	298	0.01%	0.001%
45	7.591	1928	1944	1962	rBV2	388700	659552	22.99%	2.614%
46	7.787	2002	2005	2006	rBV3	394	201	0.01%	0.001%
47	7.922	2032	2047	2082	rBV	1290539	2368943	82.59%	9.387%
48	8.150	2116	2118	2121	rBV	209	126	0.00%	0.000%
49	8.202	2121	2134	2154	rBV	263470	432632	15.08%	1.714%
50	8.378	2187	2189	2191	rBV2	560	277	0.01%	0.001%
51	8.443	2205	2209	2210	rBV2	334	278	0.01%	0.001%
52	8.575	2235	2250	2264	rBV	1420553	2459277	85.74%	9.745%
53	8.655	2265	2275	2314	rVB2	835537	1660060	57.88%	6.578%
54	8.899	2348	2351	2356	rBV4	621	602	0.02%	0.002%
55	9.009	2383	2385	2388	rBV2	418	295	0.01%	0.001%
56	9.102	2412	2414	2416	rBV3	281	114	0.00%	0.000%
57	9.147	2426	2428	2432	rVB3	480	320	0.01%	0.001%
58	9.176	2432	2437	2447	rVB5	1232	2194	0.08%	0.009%
59	9.218	2447	2450	2451	rBV	250	156	0.01%	0.001%
60	9.282	2466	2470	2473	rBV3	526	433	0.02%	0.002%
61	9.314	2477	2480	2483	rBV	220	180	0.01%	0.001%
62	9.333	2483	2486	2491	rVB2	570	468	0.02%	0.002%
63	9.359	2491	2494	2496	rBV	333	248	0.01%	0.001%
64	9.436	2503	2518	2552	rBV	1275481	2228498	77.69%	8.831%
65	9.591	2562	2566	2567	rBV2	1100	780	0.03%	0.003%
66	9.790	2626	2628	2629	rBV	226	116	0.00%	0.000%
67	9.899	2659	2662	2663	rBV	293	177	0.01%	0.001%
68	9.941	2672	2675	2676	rBV	253	143	0.00%	0.001%
69	10.025	2698	2701	2703	rBV	289	184	0.01%	0.001%
70	10.092	2718	2722	2724	rBV2	468	364	0.01%	0.001%
71	10.115	2724	2729	2733	rVV5	887	982	0.03%	0.004%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU043020\
 Data File : VU037975.D
 Acq On : 01 May 2020 01:36
 Operator : JC/MD
 Sample : L2410-11DL 20X
 Misc : 5.0mL/MSVOA U/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 DBFE6DL

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM043020WMA.M
 Title : VOC Analysis

72	10.195	2750	2754	2757	rBV3	812	653	0.02%	0.003%
73	10.494	2842	2847	2848	rBV2	943	605	0.02%	0.002%
74	10.771	2920	2933	2958	rVB	865588	1382650	48.20%	5.479%
75	10.928	2980	2982	2985	rBV2	345	242	0.01%	0.001%
76	11.102	3032	3036	3037	rBV2	801	543	0.02%	0.002%
77	11.201	3064	3067	3069	rBV	376	207	0.01%	0.001%
78	11.275	3087	3090	3092	rBV	325	201	0.01%	0.001%
79	11.636	3199	3202	3204	rBV	397	219	0.01%	0.001%
80	11.732	3229	3232	3235	rBV2	964	693	0.02%	0.003%
81	11.825	3248	3261	3278	rBV	1313816	2102012	73.28%	8.330%
82	12.205	3365	3379	3396	rBV	1260263	2033693	70.90%	8.059%


Sum of corrected areas: 25235587

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU043020\
Data File : VU037975.D
Acq On : 01 May 2020 01:36
Operator : JC/MD
Sample : L2410-11DL 20X
Misc : 5.0mL/MSVOA U/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
DBFE6DL

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM043020WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_U\DATA\VU043020\
Data File : VU037975.D
Acq On : 01 May 2020 01:36
Operator : JC/MD
Sample : L2410-11DL 20X
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
DBFE6DL

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM043020WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_U\DATA\VU043020\
Data File : VU037975.D
Acq On : 01 May 2020 01:36
Operator : JC/MD
Sample : L2410-11DL 20X
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
DBFE6DL

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMULM043020WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	---Internal Standard---
					# RT Resp Conc