

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU051724\
 Data File : VU058906.D
 Acq On : 17 May 2024 12:32
 Operator : MD/SY
 Sample : VU0517WBL01
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VBLK191

Quant Time: May 18 00:12:01 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR051424WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Sat May 18 00:11:42 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.245	114	150068	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.412	117	149368	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.807	152	64160	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.599	65	42448	4.670	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	93.400%
7) Chloroethane-d5	1.911	69	41375	5.036	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	100.800%
11) 1,1-Dichloroethene-d2	2.563	65	17333	4.679	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	93.600%
20) 2-Butanone-d5	4.634	46	133833	56.628	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	113.260%
24) Chloroform-d	5.055	84	95445	5.199	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	104.000%
26) 1,2-Dichloroethane-d4	5.695	65	48377	5.128	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	102.600%
32) Benzene-d6	5.721	84	170971	4.987	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	99.800%
36) 1,2-Dichloropropane-d6	6.682	67	61088	5.347	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	107.000%
41) Toluene-d8	7.894	98	132905	4.259	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	85.200%
43) trans-1,3-Dichloroprop...	8.177	79	19037	4.856	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	97.200%
46) 2-Hexanone-d5	8.631	63	96811	51.456	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	102.920%
56) 1,1,2,2-Tetrachloroeth...	10.749	84	51848	5.255	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	105.200%
66) 1,2-Dichlorobenzene-d4	12.187	152	50584	5.242	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	104.800%
Target Compounds						Qvalue
16) Methylene chloride	3.039	84	2360	0.186	ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU051724\
Data File : VU058906.D
Acq On : 17 May 2024 12:32
Operator : MD/SY
Sample : VU0517WBL01
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VBLK191

Quant Time: May 18 00:12:01 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR051424WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Sat May 18 00:11:42 2024
Response via : Initial Calibration

