

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_U\Data\VU052124\  
 Data File : VU058927.D  
 Acq On : 21 May 2024 13:18  
 Operator : MD/SY  
 Sample : VSTD00223  
 Misc : 25.0mL/MSVOA\_U/WATER  
 ALS Vial : 8 Sample Multiplier: 1

Instrument :  
 MSVOA\_U  
 ClientSampleId :  
 VSTD002023

Quant Time: May 22 06:59:37 2024  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_U\Method\SFAMUSIM052124.M  
 Quant Title : TRACE VOA SOM01.0  
 QLast Update : Wed May 22 06:58:22 2024  
 Response via : Initial Calibration

| Compound                      | R.T.   | QIon | Response | Conc  | Units  | Dev(Min) |
|-------------------------------|--------|------|----------|-------|--------|----------|
| -----                         |        |      |          |       |        |          |
| Internal Standards            |        |      |          |       |        |          |
| 1) 1,4-Difluorobenzene        | 6.258  | 114  | 6999     | 0.500 | ug/L   | 0.00     |
| 5) Chlorobenzene-d5           | 9.418  | 117  | 11289    | 0.500 | ug/L   | 0.00     |
| 11) 1,4-Dichlorobenzene-d4    | 11.808 | 152  | 3799     | 0.500 | ug/L   | 0.00     |
| System Monitoring Compounds   |        |      |          |       |        |          |
| 2) Vinyl Chloride-d3          | 1.597  | 65   | 10988    | 1.899 | ug/L   | 0.00     |
| 4) 1,2-Dichloroethane-d4      | 5.685  | 65   | 12561    | 1.731 | ug/L   | -0.02    |
| 7) 1,2-Dichloropropane-d6     | 6.687  | 67   | 15434    | 2.638 | ug/L   | 0.00     |
| 8) Toluene-d8                 | 7.887  | 98   | 29717    | 1.958 | ug/L   | 0.00     |
| 10) 1,1,2,2-Tetrachloroeth... | 10.745 | 84   | 14259    | 2.577 | ug/L   | 0.00     |
| Target Compounds              |        |      |          |       |        |          |
|                               |        |      |          |       |        | Qvalue   |
| 3) Vinyl chloride             | 1.597  | 62   | 15313    | 1.869 | ug/L   | 96       |
| 6) Trichloroethene            | 6.544  | 95   | 11744    | 2.013 | ug/L   | 98       |
| 9) 1,2-Dibromoethane          | 8.924  | 107  | 9021     | 2.235 | ug/L # | 96       |
| 12) 1,2,3-Trichloropropane    | 10.797 | 75   | 9883     | 2.721 | ug/L   | 98       |
| 13) 1,2-Dibromo-3-chloropr... | 12.973 | 75   | 1898     | 2.309 | ug/L # | 77       |
| -----                         |        |      |          |       |        |          |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_U\Data\VU052124\  
Data File : VU058927.D  
Acq On : 21 May 2024 13:18  
Operator : MD/SY  
Sample : VSTD00223  
Misc : 25.0mL/MSVOA\_U/WATER  
ALS Vial : 8 Sample Multiplier: 1

Instrument :  
MSVOA\_U  
ClientSampleId :  
VSTD002023

Quant Time: May 22 06:59:37 2024  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_U\Method\SFAMUSIM052124.M  
Quant Title : TRACE VOA SOM01.0  
QLast Update : Wed May 22 06:58:22 2024  
Response via : Initial Calibration

