

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_U\Data\VU052224\  
 Data File : VU058934.D  
 Acq On : 22 May 2024 09:31  
 Operator : MD/SY  
 Sample : VU0522WBL01  
 Misc : 25.0mL/MSVOA\_U/WATER  
 ALS Vial : 3 Sample Multiplier: 1

Instrument :  
 MSVOA\_U  
 ClientSampleId :  
 VBLK007

Quant Time: May 23 06:03:17 2024  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_U\Method\SFAMUSIM052124.M  
 Quant Title : TRACE VOA SOM01.0  
 QLast Update : Wed May 22 07:04:21 2024  
 Response via : Initial Calibration

| Compound                      | R.T.   | QIon  | Response | Conc     | Units | Dev(Min) |
|-------------------------------|--------|-------|----------|----------|-------|----------|
| -----                         |        |       |          |          |       |          |
| Internal Standards            |        |       |          |          |       |          |
| 1) 1,4-Difluorobenzene        | 6.258  | 114   | 6407     | 0.500    | ug/L  | 0.00     |
| 5) Chlorobenzene-d5           | 9.419  | 117   | 10033    | 0.500    | ug/L  | 0.00     |
| 11) 1,4-Dichlorobenzene-d4    | 11.808 | 152   | 3422     | 0.500    | ug/L  | 0.00     |
| System Monitoring Compounds   |        |       |          |          |       |          |
| 2) Vinyl Chloride-d3          | 1.597  | 65    | 2833     | 0.523    | ug/L  | 0.00     |
| Spiked Amount                 | 0.500  | Range | 40 - 130 | Recovery | =     | 104.000% |
| 4) 1,2-Dichloroethane-d4      | 5.709  | 65    | 3155     | 0.498    | ug/L  | 0.00     |
| Spiked Amount                 | 0.500  | Range | 70 - 130 | Recovery | =     | 100.000% |
| 7) 1,2-Dichloropropane-d6     | 6.687  | 67    | 3957     | 0.540    | ug/L  | 0.00     |
| Spiked Amount                 | 0.500  | Range | 60 - 140 | Recovery | =     | 108.000% |
| 8) Toluene-d8                 | 7.887  | 98    | 7232     | 0.505    | ug/L  | 0.00     |
| Spiked Amount                 | 0.500  | Range | 70 - 130 | Recovery | =     | 100.000% |
| 10) 1,1,2,2-Tetrachloroeth... | 10.745 | 84    | 3651     | 0.526    | ug/L  | 0.00     |
| Spiked Amount                 | 0.500  | Range | 65 - 120 | Recovery | =     | 106.000% |

Target Compounds Qvalue

-----

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_U\Data\VU052224\  
Data File : VU058934.D  
Acq On : 22 May 2024 09:31  
Operator : MD/SY  
Sample : VU0522WBL01  
Misc : 25.0mL/MSVOA\_U/WATER  
ALS Vial : 3 Sample Multiplier: 1

Instrument :  
MSVOA\_U  
ClientSampleId :  
VBLK007

Quant Time: May 23 06:03:17 2024  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_U\Method\SFAMUSIM052124.M  
Quant Title : TRACE VOA SOM01.0  
QLast Update : Wed May 22 07:04:21 2024  
Response via : Initial Calibration

