

Data Path : Z:\VOASRV\HPCHEM1\MSVOA_U\DATA\VU060220\
 Data File : VU038494.D
 Acq On : 02 Jun 2020 15:32
 Operator : JC/MD
 Sample : L2844-03
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0AE9

Manual Integrations
 APPROVED

apatel
 6/4/2020 8:57:47 AM

Quant Time: Jun 03 01:35:31 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR053120WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Wed Jun 03 00:48:29 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.28	114	314184	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.44	117	310769	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.83	152	146363	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	66280	3.26	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	65.20%
7) Chloroethane-d5	1.93	69	64153	4.11	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	82.20%
11) 1,1-Dichloroethene-d2	2.59	63	110857	2.77	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	55.40%#
20) 2-Butanone-d5	4.68	46	346353	56.07	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	112.14%
24) Chloroform-d	5.10	84	175801	4.60	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	92.00%
26) 1,2-Dichloroethane-d4	5.74	65	106608	4.92	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	98.40%
32) Benzene-d6	5.76	84	337958	4.36	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	87.20%
36) 1,2-Dichloropropane-d6	6.72	67	107678	4.51	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	90.20%
41) Toluene-d8	7.92	98	277443	3.99	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	79.80%
43) trans-1,3-Dichloropropene-	8.20	79	44251	4.31	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	86.20%
46) 2-Hexanone-d5	8.65	63	292228	57.68	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	115.36%
57) 1,1,2,2-Tetrachloroethane-	10.77	84	101570	5.01	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	100.20%
64) 1,2-Dichlorobenzene-d4	12.20	152	121567	4.82	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	96.40%

Target Compounds					Qvalue
13) Acetone	2.68	43	14288m	3.53	ug/L

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_U\DATA\VU060220\
Data File : VU038494.D
Acq On : 02 Jun 2020 15:32
Operator : JC/MD
Sample : L2844-03
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 1 Sample Multiplier: 1


Instrument :
MSVOA_U
ClientSampleId :
C0AE9

Manual Integrations
APPROVED

apatel
6/4/2020 8:57:47 AM

Quant Time: Jun 03 01:35:31 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR053120WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Wed Jun 03 00:48:29 2020
Response via : Initial Calibration





#13

Acetone

Concen: 3.53 ug/L m

RT: 2.68 min Scan# 418

Delta R.T. -0.01 min

Lab File: VU038494.D

Acq: 02 Jun 2020 15:32

Instrument :

MSVOA_U

ClientSampleId :

C0AE9

Tgt Ion: 43 Resp: 14288

Ion Ratio Lower Upper

43 100

58 15.7 0.0 65.6

Manual Integrations

APPROVED

apatel

6/4/2020 8:57:47 AM

