

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU060324\
 Data File : VU059122.D
 Acq On : 03 Jun 2024 15:13
 Operator : MD/SY
 Sample : P2663-12
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VHBLK002

Quant Time: Jun 04 06:59:09 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM052924WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat Jun 01 01:17:21 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.245	114	193036	50.000	ug/L	0.00
28) Chlorobenzene-d5	9.415	117	201558	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.811	152	83273	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.596	65	48262	41.757	ug/L	0.00
Spiked Amount	50.000	Range 60 - 135	Recovery	=	83.520%	
7) Chloroethane-d5	1.907	69	46139	46.602	ug/L	0.00
Spiked Amount	50.000	Range 70 - 130	Recovery	=	93.200%	
11) 1,1-Dichloroethene-d2	2.560	63	67294	29.497	ug/L	0.00
Spiked Amount	50.000	Range 60 - 125	Recovery	=	59.000%#	
21) 2-Butanone-d5	4.612	46	115842	106.335	ug/L	0.00
Spiked Amount	100.000	Range 40 - 130	Recovery	=	106.340%	
24) Chloroform-d	5.055	84	111034	48.258	ug/L	0.00
Spiked Amount	50.000	Range 70 - 125	Recovery	=	96.520%	
26) 1,2-Dichloroethane-d4	5.695	65	71004	50.349	ug/L	0.00
Spiked Amount	50.000	Range 70 - 125	Recovery	=	100.700%	
32) Benzene-d6	5.721	84	205937	44.517	ug/L	0.00
Spiked Amount	50.000	Range 70 - 125	Recovery	=	89.040%	
36) 1,2-Dichloropropane-d6	6.685	67	74932	46.978	ug/L	0.00
Spiked Amount	50.000	Range 70 - 120	Recovery	=	93.960%	
41) Toluene-d8	7.894	98	163702	41.685	ug/L	0.00
Spiked Amount	50.000	Range 80 - 120	Recovery	=	83.380%	
43) trans-1,3-Dichloroprop...	8.177	79	28021	43.460	ug/L	0.00
Spiked Amount	50.000	Range 60 - 125	Recovery	=	86.920%	
47) 2-Hexanone-d5	8.627	63	60383	81.864	ug/L	0.00
Spiked Amount	100.000	Range 45 - 130	Recovery	=	81.860%	
56) 1,1,2,2-Tetrachloroeth...	10.750	84	123544	45.765	ug/L	0.00
Spiked Amount	50.000	Range 65 - 120	Recovery	=	91.540%	
66) 1,2-Dichlorobenzene-d4	12.190	152	60000	48.281	ug/L	0.00
Spiked Amount	50.000	Range 80 - 120	Recovery	=	96.560%	

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU060324\
Data File : VU059122.D
Acq On : 03 Jun 2024 15:13
Operator : MD/SY
Sample : P2663-12
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 7 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VHBLK002

Quant Time: Jun 04 06:59:09 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM052924WMA.M
Quant Title : VOC Analysis
QLast Update : Sat Jun 01 01:17:21 2024
Response via : Initial Calibration

