

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU060620\
 Data File : VU038631.D
 Acq On : 06 Jun 2020 20:44
 Operator : SY/MD
 Sample : L2912-09
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 F9E79

Manual Integrations
 APPROVED

MMDadoda
 6/8/2020 1:55:42 PM

Quant Time: Jun 07 07:01:09 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR053120WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Sun Jun 07 04:01:21 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.28	114	317908	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.44	117	317105	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.83	152	150844	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	62918	3.06	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	61.20%
7) Chloroethane-d5	1.93	69	62989	3.98	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	79.60%
11) 1,1-Dichloroethene-d2	2.59	63	107593	2.66	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	53.20%#
20) 2-Butanone-d5	4.68	46	344703	55.15	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	110.30%
24) Chloroform-d	5.10	84	176814	4.57	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	91.40%
26) 1,2-Dichloroethane-d4	5.74	65	104559	4.76	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	95.20%
32) Benzene-d6	5.76	84	342280	4.32	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	86.40%
36) 1,2-Dichloropropane-d6	6.72	67	111110	4.56	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	91.20%
41) Toluene-d8	7.92	98	281697	3.97	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	79.40%
43) trans-1,3-Dichloropropene-	8.20	79	40786	3.90	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	78.00%
46) 2-Hexanone-d5	8.65	63	294405	56.94	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	113.88%
57) 1,1,2,2-Tetrachloroethane-	10.77	84	102039	4.94	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	98.80%
64) 1,2-Dichlorobenzene-d4	12.20	152	121228	4.66	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	93.20%

Target Compounds				Ovalue
13) Acetone	2.69	43	4629m	1.132 ug/L

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU060620\
Data File : VU038631.D
Acq On : 06 Jun 2020 20:44
Operator : SY/MD
Sample : L2912-09
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 1 Sample Multiplier: 1


Instrument :
MSVOA_U
ClientSampleId :
F9E79

Manual Integrations
APPROVED

MMDadoda
6/8/2020 1:55:42 PM

Quant Time: Jun 07 07:01:09 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR053120WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Sun Jun 07 04:01:21 2020
Response via : Initial Calibration





#13
 Acetone
 Concen: 1.132 ug/L m
 RT: 2.69 min Scan# 419
 Delta R.T. 0.01 min
 Lab File: VU038631.D
 Acq: 06 Jun 2020 20:44

Instrument :
 MSVOA_U
 ClientSampleId :
 F9E79

Tot Ion	Ratio	Lower	Upper
43	100		
58	17.2	0.0	65.6

Manual Integrations
 APPROVED

MMDadoda
 6/8/2020 1:55:42 PM

