

Data Path : Z:\VOASRV\HPCHEM1\MSVOA U\DATA\VU060620\
 Data File : VU038644.D
 Acq On : 07 Jun 2020 02:53
 Operator : SY/MD
 Sample : L2911-07
 Misc : 25.0mL/MSVOA U/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 F9D32

Quant Time: Jun 08 04:44:47 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR053120WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Mon Jun 08 02:53:04 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	6.28	114	330953	5.00	ug/L	0.00
28) Chlorobenzene-d5	9.44	117	323456	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.83	152	166713	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.61	65	94679	4.42	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	88.40%
7) Chloroethane-d5	1.93	69	81665	4.96	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	99.20%
11) 1,1-Dichloroethene-d2	2.59	63	149638	3.55	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	71.00%
20) 2-Butanone-d5	4.67	46	370072	56.87	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	113.74%
24) Chloroform-d	5.10	84	206167	5.12	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	102.40%
26) 1,2-Dichloroethane-d4	5.74	65	119922	5.25	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	105.00%
32) Benzene-d6	5.76	84	418969	5.19	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	103.80%
36) 1,2-Dichloropropane-d6	6.72	67	131161	5.28	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	105.60%
41) Toluene-d8	7.92	98	353379	4.88	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	97.60%
43) trans-1,3-Dichloropropene-	8.20	79	50349	4.71	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	94.20%
46) 2-Hexanone-d5	8.65	63	317680	60.24	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	120.48%
57) 1,1,2,2-Tetrachloroethane-	10.77	84	116120	5.51	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	110.20%
64) 1,2-Dichlorobenzene-d4	12.20	152	150694	5.24	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	104.80%


Target Compounds					Ovalue
13) Acetone	2.67	43	77316	18.156 ug/L	100
21) 2-Butanone	4.75	43	12369	1.727 ug/L	91
30) Cyclohexane	5.42	56	8275	0.231 ug/L	87


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA U\DATA\VU060620\
Data File : VU038644.D
Acq On : 07 Jun 2020 02:53
Operator : SY/MD
Sample : L2911-07
Misc : 25.0mL/MSVOA U/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
F9D32

Quant Time: Jun 08 04:44:47 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_U\METHOD\SOMUTR053120WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Mon Jun 08 02:53:04 2020
Response via : Initial Calibration





#13

Acetone

Concen: 18.156 ug/L

RT: 2.67 min Scan# 413

Delta R.T. -0.02 min

Lab File: VU038644.D

Acq: 07 Jun 2020 02:53

Instrument :

MSVOA_U

ClientSampleId :


F9D32

Tot Ion: 43 Resp: 77316

Ion Ratio Lower Upper




43 100

58 32.9 0.0 65.6



Abundance Ion 43.05 (42.75 to 43.75): VU038633.D (-399) (-)

Ion 58.05 (57.75 to 58.75): VU038633.D (-399) (-)



#21

2-Butanone

Concen: 1.727 ug/L

RT: 4.75 min Scan# 1061

Delta R.T. -0.01 min

Lab File: VU038644.D


Acq: 07 Jun 2020 02:53

Tgt Ion: 43 Resp: 12369

Ion Ratio Lower Upper



43 100


72 29.8 12.6 37.8



Abundance Ion 43.05 (42.75 to 43.75): VU038633.D (-1044) (-)

Ion 72.10 (71.80 to 72.80): VU038633.D (-1044) (-)





#30
Cyclohexane
Concen: 0.231 ug/L
RT: 5.42 min Scan# 1270
Delta R.T. -0.00 min
Lab File: VU038644.D
Acq: 07 Jun 2020 02:53

Instrument :
MSVOA_U
ClientSampleId :
F9D32

Tot Ion	Ratio	Lower	Upper
56	100		
69	31.0	24.2	36.4
84	103.8	70.8	106.2

