




Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU061522\
 Data File : VU049166.D
 Acq On : 15 Jun 2022 13:36
 Operator : SY/MD
 Sample : N3288-08
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BGJA3

Manual IntegrationsAPPROVED

Quant Time: Jun 16 04:48:23 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR061422WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Thu Jun 16 04:45:30 2022
 Response via : Initial Calibration

Reviewed By :Krupa Patel 06/18/2022
 Supervised By :Mahesh Dadoda 06/20/2022



TIC: VU049166.D\data.ms

(21) 2-Butanone (T)

4.722min (+ 0.006) 2.37 ug/L

response 6928

Ion	Exp%	Act%
43.05	100.00	100.00
72.10	24.40	23.41
0.00	0.00	0.00
0.00	0.00	0.00




Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU061522\
 Data File : VU049166.D
 Acq On : 15 Jun 2022 13:36
 Operator : SY/MD
 Sample : N3288-08
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BGJA3

Manual IntegrationsAPPROVED

Quant Time: Jun 16 04:48:23 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR061422WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Thu Jun 16 04:45:30 2022
 Response via : Initial Calibration

Reviewed By :Krupa Patel 06/18/2022
 Supervised By :Mahesh Dadoda 06/20/2022



TIC: VU049166.D\data.ms

(21) 2-Butanone (T)

4.722min (+ 0.006) 3.06 ug/L m

response 8962

Ion	Exp%	Act%
43.05	100.00	100.00
72.10	24.40	18.10
0.00	0.00	0.00
0.00	0.00	0.00

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU061522\
 Data File : VU049166.D
 Acq On : 15 Jun 2022 13:36
 Operator : SY/MD
 Sample : N3288-08
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 BGJA3

Manual IntegrationsAPPROVED

Quant Time: Jun 16 04:48:23 2022
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR061422WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Thu Jun 16 04:45:30 2022
 Response via : Initial Calibration

Reviewed By :Krupa Patel 06/18/2022
 Supervised By :Mahesh Dadoda 06/20/2022

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.250	114	132937	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.417	117	119507	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.812	152	58250	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.597	65	49950	4.300	ug/L	0.00
Spiked Amount	5.000	Range 40 - 130	Recovery	=	86.000%	
7) Chloroethane-d5	1.912	69	37201	4.731	ug/L	0.00
Spiked Amount	5.000	Range 65 - 130	Recovery	=	94.600%	
11) 1,1-Dichloroethene-d2	2.568	65	20627	4.415	ug/L	0.00
Spiked Amount	5.000	Range 60 - 125	Recovery	=	88.200%	
20) 2-Butanone-d5	4.636	46	174075	56.126	ug/L	0.00
Spiked Amount	50.000	Range 40 - 130	Recovery	=	112.260%	
24) Chloroform-d	5.063	84	87687	4.811	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	96.200%	
26) 1,2-Dichloroethane-d4	5.703	65	51971	5.199	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	104.000%	
32) Benzene-d6	5.729	84	178967	4.971	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	99.400%	
36) 1,2-Dichloropropane-d6	6.693	67	61783	5.056	ug/L	0.00
Spiked Amount	5.000	Range 60 - 140	Recovery	=	101.200%	
41) Toluene-d8	7.899	98	157193	4.849	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	97.000%	
43) trans-1,3-Dichloroprop...	8.179	79	24917	4.590	ug/L	0.00
Spiked Amount	5.000	Range 55 - 130	Recovery	=	91.800%	
46) 2-Hexanone-d5	8.635	63	114364	52.225	ug/L	0.00
Spiked Amount	50.000	Range 45 - 130	Recovery	=	104.460%	
56) 1,1,2,2-Tetrachloroeth...	10.758	84	50670	5.179	ug/L	0.00
Spiked Amount	5.000	Range 65 - 120	Recovery	=	103.600%	
66) 1,2-Dichlorobenzene-d4	12.195	152	58217	5.208	ug/L	0.00
Spiked Amount	5.000	Range 80 - 120	Recovery	=	104.200%	
Target Compounds						
					Qvalue	
5) Vinyl chloride	1.604	62	6654	0.595	ug/L	87
12) 1,1-Dichloroethene	2.581	96	37210	4.978	ug/L	96
13) Acetone	2.652	43	6321	4.118	ug/L	97
19) 1,1-Dichloroethane	3.870	63	169281	10.366	ug/L	97
21) 2-Butanone	4.722	43	8962m	3.062	ug/L	
27) 1,2-Dichloroethane	5.800	62	4564	0.423	ug/L	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU061522\
Data File : VU049166.D
Acq On : 15 Jun 2022 13:36
Operator : SY/MD
Sample : N3288-08
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
BGJA3

Manual IntegrationsAPPROVED

Quant Time: Jun 16 04:48:23 2022
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR061422WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Thu Jun 16 04:45:30 2022
Response via : Initial Calibration

Reviewed By :Krupa Patel 06/18/2022
Supervised By :Mahesh Dadoda 06/20/2022

