

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU061724\
 Data File : VU059287.D
 Acq On : 17 Jun 2024 18:02
 Operator : MD/SY
 Sample : P2898-12
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 E1GC3

Manual Integrations
 APPROVED

Reviewed By :Mahesh Dadoda 06/19/2024
 Supervised By :Semsettin Yesilyurt 06/19/2024

Quant Time: Jun 18 04:22:58 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR061724WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Mon Jun 17 12:07:46 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.245	114	104176	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.415	117	109597	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.811	152	49010	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.596	65	33534	4.629	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	92.600%
7) Chloroethane-d5	1.908	69	33814	4.851	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	97.000%
11) 1,1-Dichloroethene-d2	2.560	65	13562	4.513	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	90.200%
20) 2-Butanone-d5	4.615	46	88650	59.411	ug/L	-0.01
Spiked Amount	50.000	Range	40 - 130	Recovery	=	118.820%
24) Chloroform-d	5.059	84	71979	4.841	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	96.800%
26) 1,2-Dichloroethane-d4	5.695	65	37577	5.247	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	105.000%
32) Benzene-d6	5.721	84	138708	4.599	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	92.000%
36) 1,2-Dichloropropane-d6	6.686	67	46155	4.994	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	99.800%
41) Toluene-d8	7.895	98	112500	4.012	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	80.200%
43) trans-1,3-Dichloroprop...	8.177	79	13462	4.651	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	93.000%
46) 2-Hexanone-d5	8.628	63	63350	52.680	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	105.360%
56) 1,1,2,2-Tetrachloroeth...	10.753	84	39409	5.161	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	103.200%
66) 1,2-Dichlorobenzene-d4	12.190	152	44268	5.075	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	101.400%
Target Compounds					Qvalue	
13) Acetone	2.618	43	11272m	11.645	ug/L	
16) Methylene chloride	3.036	84	3311	0.378	ug/L	86

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU061724\
Data File : VU059287.D
Acq On : 17 Jun 2024 18:02
Operator : MD/SY
Sample : P2898-12
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 21 Sample Multiplier: 1


Instrument :
MSVOA_U
ClientSampleId :
E1GC3

Manual Integrations
APPROVED

Reviewed By :Mahesh Dadoda 06/19/2024
Supervised By :Semsettin Yesilyurt 06/19/2024

Quant Time: Jun 18 04:22:58 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR061724WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Mon Jun 17 12:07:46 2024
Response via : Initial Calibration





#13

Acetone

Concen: 11.645 ug/L m

RT: 2.618 min Scan# 41

Delta R.T. -0.022 min

Lab File: VU059287.D

Acq: 17 Jun 2024 18:02

Instrument :

MSVOA_U

ClientSampleId :

E1GC3

Tgt Ion: 43 Resp: 1127

Ion Ratio Lower Upper

43 100





58 34.2 0.0 68.0

Manual Integrations

APPROVED

Reviewed By :Mahesh Dadoda 06/19/2024

Supervised By :Semsettin Yesilyurt 06/19/2024



#16

Methylene chloride

Concen: 0.378 ug/L

RT: 3.036 min Scan# 543

Delta R.T. -0.003 min

Lab File: VU059287.D

Acq: 17 Jun 2024 18:02

Tgt Ion: 84 Resp: 3311

Ion Ratio Lower Upper

84 100

86 57.0 42.1 78.1

49 95.2 80.6 149.8

