

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU062024\
 Data File : VU059385.D
 Acq On : 20 Jun 2024 17:31
 Operator : MD/SY
 Sample : P2960-13ME
 Misc : 5.74g/5.0mL/100uL/5.0mL/MSVOA_U/MEOH
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :

Quant Time: Jun 24 11:52:45 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM052924WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat Jun 22 00:01:31 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	6.242	114	211437	50.000	ug/L	0.00
28) Chlorobenzene-d5	9.415	117	217378	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.811	152	98726	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.592	65	30189	23.847	ug/L	0.00
Spiked Amount 50.000	Range 60 - 135		Recovery =	47.700%#		
7) Chloroethane-d5	1.869	69	19136	17.646	ug/L	-0.04
Spiked Amount 50.000	Range 70 - 130		Recovery =	35.300%#		
11) 1,1-Dichloroethene-d2	2.535	63	44221	17.697	ug/L	-0.03
Spiked Amount 50.000	Range 60 - 125		Recovery =	35.400%#		
21) 2-Butanone-d5	4.628	46	82576	69.203	ug/L	0.02
Spiked Amount 100.000	Range 40 - 130		Recovery =	69.200%		
24) Chloroform-d	5.052	84	81238	32.235	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	64.460%#		
26) 1,2-Dichloroethane-d4	5.692	65	56351	36.481	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	72.960%		
32) Benzene-d6	5.714	84	161320	32.334	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	64.660%#		
36) 1,2-Dichloropropane-d6	6.682	67	56100	32.612	ug/L	0.00
Spiked Amount 50.000	Range 70 - 120		Recovery =	65.220%#		
41) Toluene-d8	7.894	98	131427	31.031	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	62.060%#		
43) trans-1,3-Dichloroprop...	8.177	79	21876	31.460	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	62.920%		
47) 2-Hexanone-d5	8.640	63	52927	66.534	ug/L	0.01
Spiked Amount 100.000	Range 45 - 130		Recovery =	66.530%		
56) 1,1,2,2-Tetrachloroeth...	10.756	84	99361	34.128	ug/L	0.00
Spiked Amount 50.000	Range 65 - 120		Recovery =	68.260%		
66) 1,2-Dichlorobenzene-d4	12.193	152	55923	37.957	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	75.920%#		
Target Compounds					Qvalue	
20) cis-1,2-Dichloroethene	4.657	96	7267	3.955	ug/L	93
46) Tetrachloroethene	8.550	164	12669	9.896	ug/L	96
49) Dibromochloromethane	8.550	129	12596	6.955	ug/L #	11


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU062024\
Data File : VU059385.D
Acq On : 20 Jun 2024 17:31
Operator : MD/SY
Sample : P2960-13ME
Misc : 5.74g/5.0mL/100uL/5.0mL/MSVOA_U/MEOH
ALS Vial : 23 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :


Quant Time: Jun 24 11:52:45 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM052924WMA.M
Quant Title : VOC Analysis
QLast Update : Sat Jun 22 00:01:31 2024
Response via : Initial Calibration








#20
 cis-1,2-Dichloroethene
 Concen: 3.955 ug/L
 RT: 4.657 min Scan# 1047
 Delta R.T. -0.003 min
 Lab File: VU059385.D
 Acq: 20 Jun 2024 17:31

Instrument :
 MSVOA_U
 ClientSampleId :







Tgt Ion:	96	Resp:	7267
Ion	Ratio	Lower	Upper
96	100		
61	127.4	96.2	178.6
98	67.5	45.6	84.6



#46
 Tetrachloroethene
 Concen: 9.896 ug/L
 RT: 8.550 min Scan# 2258
 Delta R.T. 0.000 min
 Lab File: VU059385.D
 Acq: 20 Jun 2024 17:31


Tgt Ion:	164	Resp:	12669
Ion	Ratio	Lower	Upper
164	100		
129	113.0	74.5	138.5
131	98.7	70.6	131.0
166	139.8	95.1	176.7





#49
 Dibromochloromethane
 Concen: 6.955 ug/L
 RT: 8.550 min Scan# 22
 Delta R.T. -0.254 min
 Lab File: VU059385.D
 Acq: 20 Jun 2024 17:31

Instrument :
 MSVOA_U
 ClientSampleId :



Tgt Ion:	129	Resp:	12596
Ion Ratio	Lower	Upper	
129	100		
127	0.0	53.3	98.9#

