

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU062124\
 Data File : VU059401.D
 Acq On : 21 Jun 2024 10:31
 Operator : MD/SY
 Sample : P2964-19
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 A4D65

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM052924WMA.M
 Title : VOC Analysis

Signal : TIC: VU059401.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.596	87	95	110	rBV	91167	106355	16.29%	1.928%
2	1.907	184	192	210	rVB	67171	92895	14.22%	1.684%
3	2.560	383	395	407	rBV	136510	221768	33.96%	4.020%
4	2.618	407	413	436	rVB2	8687	16382	2.51%	0.297%
5	2.724	443	446	448	rBV3	302	201	0.03%	0.004%
6	2.782	461	464	473	rVB3	1598	2152	0.33%	0.039%
7	2.837	479	481	485	rVB	282	202	0.03%	0.004%
8	3.010	530	535	536	rBV	496	346	0.05%	0.006%
9	3.039	536	544	553	rVV4	2324	3941	0.60%	0.071%
10	3.181	572	588	604	rBV2	19594	45575	6.98%	0.826%
11	3.364	641	645	648	rBV2	271	186	0.03%	0.003%
12	3.428	657	665	668	rBV2	169	211	0.03%	0.004%
13	3.750	759	765	769	rBV2	230	284	0.04%	0.005%
14	4.110	874	877	884	rBV2	224	247	0.04%	0.004%
15	4.467	983	988	991	rBV	275	271	0.04%	0.005%
16	4.525	1002	1006	1009	rVB	395	309	0.05%	0.006%
17	4.550	1009	1014	1016	rBV	228	266	0.04%	0.005%
18	4.615	1019	1034	1067	rBV	71702	198607	30.41%	3.600%
19	4.988	1146	1150	1152	rBV2	263	241	0.04%	0.004%
20	5.055	1155	1171	1195	rVV	116500	258120	39.52%	4.679%
21	5.322	1249	1254	1259	rBV2	293	322	0.05%	0.006%
22	5.348	1259	1262	1264	rBV2	261	193	0.03%	0.003%
23	5.489	1302	1306	1312	rBV2	276	199	0.03%	0.004%
24	5.718	1357	1377	1404	rBV2	242137	653069	100.00%	11.837%
25	6.065	1482	1485	1487	rBV2	292	192	0.03%	0.003%
26	6.245	1528	1541	1565	rBV	262633	513856	78.68%	9.314%
27	6.528	1620	1629	1642	rVB4	4222	8040	1.23%	0.146%
28	6.685	1665	1678	1705	rBV	147908	292676	44.82%	5.305%
29	6.820	1714	1720	1724	rBV3	462	492	0.08%	0.009%
30	6.894	1734	1743	1751	rBV4	1558	2630	0.40%	0.048%
31	7.203	1835	1839	1842	rBV2	263	236	0.04%	0.004%
32	7.251	1851	1854	1859	rVB2	274	230	0.04%	0.004%
33	7.290	1863	1866	1872	rBV	283	291	0.04%	0.005%
34	7.406	1897	1902	1905	rBV2	192	197	0.03%	0.004%
35	7.563	1940	1951	1968	rBV	76259	135758	20.79%	2.461%
36	7.721	1995	2000	2004	rBV2	364	396	0.06%	0.007%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU062124\
 Data File : VU059401.D
 Acq On : 21 Jun 2024 10:31
 Operator : MD/SY
 Sample : P2964-19
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 A4D65

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM052924WMA.M
 Title : VOC Analysis

37	7.894	2041	2054	2088	rBV	291018	511950	78.39%	9.280%
38	8.094	2112	2116	2120	rVB3	351	379	0.06%	0.007%
39	8.177	2131	2142	2159	rBV2	50662	90125	13.80%	1.634%
40	8.277	2171	2173	2179	rVB2	309	256	0.04%	0.005%
41	8.361	2191	2199	2202	rBV2	286	406	0.06%	0.007%
42	8.393	2206	2209	2215	rVB2	252	276	0.04%	0.005%
43	8.422	2215	2218	2223	rBV	227	204	0.03%	0.004%
44	8.467	2223	2232	2240	rVB3	961	1834	0.28%	0.033%
45	8.505	2240	2244	2251	rBV	262	383	0.06%	0.007%
46	8.550	2253	2258	2261	rBV3	622	550	0.08%	0.010%
47	8.627	2272	2282	2322	rBV	142906	292617	44.81%	5.304%
48	8.788	2323	2332	2344	rBV4	13674	22834	3.50%	0.414%
49	8.943	2376	2380	2385	rVB3	365	332	0.05%	0.006%
50	9.412	2514	2526	2564	rVV	379546	651829	99.81%	11.815%
51	9.640	2591	2597	2603	rBV2	266	270	0.04%	0.005%
52	9.705	2612	2617	2629	rVB2	864	1135	0.17%	0.021%
53	9.785	2636	2642	2647	rVB	223	267	0.04%	0.005%
54	9.862	2661	2666	2673	rBV	237	260	0.04%	0.005%
55	9.955	2688	2695	2697	rBV	317	324	0.05%	0.006%
56	10.103	2733	2741	2742	rBV3	605	577	0.09%	0.010%
57	10.203	2766	2772	2775	rBV2	166	226	0.03%	0.004%
58	10.254	2783	2788	2801	rBV3	489	841	0.13%	0.015%
59	10.351	2815	2818	2821	rBV3	457	290	0.04%	0.005%
60	10.483	2854	2859	2861	rVV	300	218	0.03%	0.004%
61	10.679	2917	2920	2925	rVB2	252	225	0.03%	0.004%
62	10.750	2925	2942	2966	rBV	213660	345000	52.83%	6.253%
63	10.885	2979	2984	2992	rBV	1018	1152	0.18%	0.021%
64	11.142	3060	3064	3067	rBV	212	193	0.03%	0.003%
65	11.499	3166	3175	3179	rBV4	724	1121	0.17%	0.020%
66	11.692	3232	3235	3242	rVB4	606	743	0.11%	0.013%
67	11.750	3247	3253	3258	rBV5	670	721	0.11%	0.013%
68	11.807	3259	3271	3298	rBV	345902	568731	87.09%	10.309%
69	12.039	3339	3343	3347	rBV2	307	320	0.05%	0.006%
70	12.081	3347	3356	3368	rBV5	2861	6537	1.00%	0.118%
71	12.190	3377	3390	3411	rBV	262477	440271	67.42%	7.980%
72	12.444	3466	3469	3475	rVB2	308	289	0.04%	0.005%
73	12.537	3490	3498	3505	rBV6	2446	3440	0.53%	0.062%
74	12.695	3544	3547	3552	rVB	330	253	0.04%	0.005%
75	12.756	3562	3566	3568	rBV	339	266	0.04%	0.005%
76	12.846	3591	3594	3596	rBV2	712	415	0.06%	0.008%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU062124\
 Data File : VU059401.D
 Acq On : 21 Jun 2024 10:31
 Operator : MD/SY
 Sample : P2964-19
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 A4D65

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM052924WMA.M
 Title : VOC Analysis

77	12.897	3603	3610	3617	rVB5	684	875	0.13%	0.016%
78	12.962	3627	3630	3635	rBV2	267	257	0.04%	0.005%
79	13.039	3651	3654	3657	rBV2	263	186	0.03%	0.003%
80	13.161	3686	3692	3699	rBV2	332	439	0.07%	0.008%
81	13.235	3711	3715	3719	rBV2	399	363	0.06%	0.007%
82	13.653	3843	3845	3852	rVB2	413	352	0.05%	0.006%
83	13.791	3885	3888	3893	rVB2	283	187	0.03%	0.003%
84	13.849	3901	3906	3907	rBV2	669	530	0.08%	0.010%
85	13.913	3922	3926	3928	rBV	283	189	0.03%	0.003%
86	14.068	3971	3974	3976	rBV	319	204	0.03%	0.004%
87	14.110	3977	3987	3989	rBV3	1729	2400	0.37%	0.044%
88	14.200	4011	4015	4020	rBV3	449	350	0.05%	0.006%
89	14.315	4048	4051	4053	rBV2	305	228	0.03%	0.004%
90	14.338	4054	4058	4064	rVB3	790	912	0.14%	0.017%
91	14.402	4073	4078	4081	rBV	420	453	0.07%	0.008%
92	14.502	4104	4109	4113	rBV3	266	312	0.05%	0.006%
93	14.585	4131	4135	4140	rBV3	495	511	0.08%	0.009%
94	14.782	4193	4196	4199	rBV3	495	310	0.05%	0.006%
95	14.949	4246	4248	4253	rBV	312	262	0.04%	0.005%
96	15.589	4445	4447	4453	rBV2	320	270	0.04%	0.005%
97	15.827	4518	4521	4523	rBV2	494	284	0.04%	0.005%
98	15.990	4568	4572	4575	rBV3	713	668	0.10%	0.012%
99	16.161	4623	4625	4630	rBV3	434	336	0.05%	0.006%
100	16.241	4646	4650	4653	rBV4	809	683	0.10%	0.012%

Sum of corrected areas: 5516957

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU062124\
Data File : VU059401.D
Acq On : 21 Jun 2024 10:31
Operator : MD/SY
Sample : P2964-19
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 6 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
A4D65

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM052924WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU062124\
Data File : VU059401.D
Acq On : 21 Jun 2024 10:31
Operator : MD/SY
Sample : P2964-19
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 6 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
A4D65

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM052924WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	#	RT	Resp	Conc
------------------	----	---------	-------	----------	---	----	------	------