

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU062524\
 Data File : VU059471.D
 Acq On : 25 Jun 2024 15:06
 Operator : MD/SY
 Sample : P2961-14
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 E1GC6

Manual Integrations
 APPROVED

Reviewed By :Mahesh Dadoda 06/26/2024
 Supervised By :Semsettin Yesilyurt 06/26/2024

Quant Time: Jun 26 04:30:03 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR061724WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Wed Jun 26 04:26:20 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.245	114	138295	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.412	117	148028	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.807	152	67292	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.595	65	30126	3.133	ug/L	0.00
Spiked Amount	5.000	Range 40 - 130	Recovery	=	62.600%	
7) Chloroethane-d5	1.907	69	35726	3.861	ug/L	0.00
Spiked Amount	5.000	Range 65 - 130	Recovery	=	77.200%	
11) 1,1-Dichloroethene-d2	2.560	65	11964	2.999	ug/L	0.00
Spiked Amount	5.000	Range 60 - 125	Recovery	=	60.000%	
20) 2-Butanone-d5	4.615	46	138814	70.079	ug/L	0.00
Spiked Amount	50.000	Range 40 - 130	Recovery	=	140.160%#	
24) Chloroform-d	5.055	84	88402	4.479	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	89.600%	
26) 1,2-Dichloroethane-d4	5.695	65	46889	4.932	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	98.600%	
32) Benzene-d6	5.721	84	151251	3.713	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	74.200%	
36) 1,2-Dichloropropane-d6	6.682	67	56587	4.533	ug/L	0.00
Spiked Amount	5.000	Range 60 - 140	Recovery	=	90.600%	
41) Toluene-d8	7.894	98	115953	3.062	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	61.200%#	
43) trans-1,3-Dichloroprop...	8.177	79	17260	4.415	ug/L	0.00
Spiked Amount	5.000	Range 55 - 130	Recovery	=	88.400%	
46) 2-Hexanone-d5	8.627	63	101371	62.412	ug/L	0.00
Spiked Amount	50.000	Range 45 - 130	Recovery	=	124.820%	
56) 1,1,2,2-Tetrachloroeth...	10.749	84	58590	5.680	ug/L	0.00
Spiked Amount	5.000	Range 65 - 120	Recovery	=	113.600%	
66) 1,2-Dichlorobenzene-d4	12.190	152	59894	5.001	ug/L	0.00
Spiked Amount	5.000	Range 80 - 120	Recovery	=	100.000%	
Target Compounds					Qvalue	
13) Acetone	2.624	43	27557m	21.446	ug/L	

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU062524\
Data File : VU059471.D
Acq On : 25 Jun 2024 15:06
Operator : MD/SY
Sample : P2961-14
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 17 Sample Multiplier: 1


Instrument :
MSVOA_U
ClientSampleId :
E1GC6

Quant Time: Jun 26 04:30:03 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR061724WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Wed Jun 26 04:26:20 2024
Response via : Initial Calibration

Manual Integrations
APPROVED


Reviewed By :Mahesh Dadoda 06/26/2024
Supervised By :Semsettin Yesilyurt 06/26/2024





#13
 Acetone
 Concen: 21.446 ug/L m
 RT: 2.624 min Scan# 41
 Delta R.T. -0.003 min
 Lab File: VU059471.D
 Acq: 25 Jun 2024 15:06

Instrument :
 MSVOA_U
 ClientSampleId :
 E1GC6



Tgt Ion: 43 Resp: 2755
 Ion Ratio Lower Upper
 43 100
 58 34.6 0.0 68.0

Manual Integrations
 APPROVED

Reviewed By :Mahesh Dadoda 06/26/2024
 Supervised By :Semsettin Yesilyurt 06/26/2024

