

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU062524\
 Data File : VU059510.D
 Acq On : 26 Jun 2024 08:31
 Operator : MD/SY
 Sample : P2936-08
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 60 Sample Multiplier: 1

Instrument :
 MSVOA_U
ClientSampleId :
 VHBLK001

Quant Time: Jun 26 08:52:33 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR061724WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Wed Jun 26 05:55:36 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Difluorobenzene	6.242	114	136388	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.412	117	143652	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.807	152	61094	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.595	65	42087	4.438	ug/L	0.00
Spiked Amount	5.000	Range 40 - 130	Recovery =	88.800%		
7) Chloroethane-d5	1.907	69	42202	4.625	ug/L	0.00
Spiked Amount	5.000	Range 65 - 130	Recovery =	92.400%		
11) 1,1-Dichloroethene-d2	2.560	65	18305	4.652	ug/L	0.00
Spiked Amount	5.000	Range 60 - 125	Recovery =	93.000%		
20) 2-Butanone-d5	4.624	46	110282	56.453	ug/L	0.00
Spiked Amount	50.000	Range 40 - 130	Recovery =	112.900%		
24) Chloroform-d	5.055	84	92890	4.772	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery =	95.400%		
26) 1,2-Dichloroethane-d4	5.695	65	46750	4.986	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery =	99.800%		
32) Benzene-d6	5.721	84	185662	4.696	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery =	94.000%		
36) 1,2-Dichloropropane-d6	6.685	67	58913	4.863	ug/L	0.00
Spiked Amount	5.000	Range 60 - 140	Recovery =	97.200%		
41) Toluene-d8	7.894	98	158106	4.302	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery =	86.000%		
43) trans-1,3-Dichloroprop...	8.174	79	18212	4.801	ug/L	0.00
Spiked Amount	5.000	Range 55 - 130	Recovery =	96.000%		
46) 2-Hexanone-d5	8.627	63	84953	53.897	ug/L	0.00
Spiked Amount	50.000	Range 45 - 130	Recovery =	107.800%		
56) 1,1,2,2-Tetrachloroeth...	10.749	84	51043	5.099	ug/L	0.00
Spiked Amount	5.000	Range 65 - 120	Recovery =	102.000%		
66) 1,2-Dichlorobenzene-d4	12.190	152	58071	5.340	ug/L	0.00
Spiked Amount	5.000	Range 80 - 120	Recovery =	106.800%		

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU062524\
 Data File : VU059510.D
 Acq On : 26 Jun 2024 08:31
 Operator : MD/SY
 Sample : P2936-08
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 60 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VHBLK001

Quant Time: Jun 26 08:52:33 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR061724WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Wed Jun 26 05:55:36 2024
 Response via : Initial Calibration

