

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU072224\
 Data File : VU060087.D
 Acq On : 22 Jul 2024 12:46
 Operator : MD/SY
 Sample : P3244-13 200X
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 YDZK7

Quant Time: Jul 23 06:37:01 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR071824WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Sat Jul 20 01:37:26 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	6.245	114	109712	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.412	117	115741	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.807	152	48337	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.595	65	29722	3.894	ug/L	0.00
Spiked Amount	5.000	Range 40 - 130	Recovery	=	77.800%	
7) Chloroethane-d5	1.907	69	33236	4.687	ug/L	0.00
Spiked Amount	5.000	Range 65 - 130	Recovery	=	93.800%	
11) 1,1-Dichloroethene-d2	2.560	65	12851	4.312	ug/L	0.00
Spiked Amount	5.000	Range 60 - 125	Recovery	=	86.200%	
20) 2-Butanone-d5	4.624	46	107160	60.046	ug/L	0.00
Spiked Amount	50.000	Range 40 - 130	Recovery	=	120.100%	
24) Chloroform-d	5.055	84	79186	4.936	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	98.800%	
26) 1,2-Dichloroethane-d4	5.695	65	41894	5.608	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	112.200%	
32) Benzene-d6	5.721	84	149336	4.816	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	96.400%	
36) 1,2-Dichloropropane-d6	6.685	67	52547	5.318	ug/L	0.00
Spiked Amount	5.000	Range 60 - 140	Recovery	=	106.400%	
41) Toluene-d8	7.894	98	117545	4.195	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	84.000%	
43) trans-1,3-Dichloroprop...	8.177	79	15655	4.654	ug/L	0.00
Spiked Amount	5.000	Range 55 - 130	Recovery	=	93.000%	
46) 2-Hexanone-d5	8.627	63	79788	53.455	ug/L	0.00
Spiked Amount	50.000	Range 45 - 130	Recovery	=	106.920%	
56) 1,1,2,2-Tetrachloroeth...	10.749	84	49923	5.677	ug/L	0.00
Spiked Amount	5.000	Range 65 - 120	Recovery	=	113.600%	
66) 1,2-Dichlorobenzene-d4	12.190	152	48800	5.593	ug/L	0.00
Spiked Amount	5.000	Range 80 - 120	Recovery	=	111.800%	
Target Compounds						
					Qvalue	
16) Methylene chloride	3.039	84	6164	0.600	ug/L	92


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU072224\
Data File : VU060087.D
Acq On : 22 Jul 2024 12:46
Operator : MD/SY
Sample : P3244-13 200X
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
YDZK7

Quant Time: Jul 23 06:37:01 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR071824WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Sat Jul 20 01:37:26 2024
Response via : Initial Calibration





#16
Methylene chloride
Concen: 0.600 ug/L
RT: 3.039 min Scan# 54
Delta R.T. 0.000 min
Lab File: VU060087.D
Acq: 22 Jul 2024 12:46

Instrument :
MSVOA_U
ClientSampleId :
YDZK7

Tgt Ion:	84	Resp:	6164
Ion	Ratio	Lower	Upper
84	100		
86	61.5	44.4	82.5
49	91.5	72.0	133.6

