

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU072524\
 Data File : VU060218.D
 Acq On : 26 Jul 2024 10:08
 Operator : MD/SY
 Sample : P3260-11
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 53 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VHBLK001

Quant Time: Jul 26 11:29:18 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM070224WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Jul 26 04:34:35 2024
 Response via : Initial Calibration

Compound		R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards							
1) 1,4-Difluorobenzene		6.242	114	234292	50.000	ug/L	0.00
28) Chlorobenzene-d5		9.412	117	234933	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4		11.807	152	99315	50.000	ug/L	0.00
System Monitoring Compounds							
4) Vinyl Chloride-d3		1.596	65	79550	52.881	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	105.760%	
7) Chloroethane-d5		1.904	69	63900	50.501	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	101.000%	
11) 1,1-Dichloroethene-d2		2.560	63	92597	34.648	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	69.300%	
21) 2-Butanone-d5		4.618	46	110801	105.985	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	105.990%	
24) Chloroform-d		5.055	84	133614	45.866	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	91.740%	
26) 1,2-Dichloroethane-d4		5.695	65	81714	47.176	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.360%	
32) Benzene-d6		5.721	84	275834	45.850	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	91.700%	
36) 1,2-Dichloropropane-d6		6.682	67	92423	49.638	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	99.280%	
41) Toluene-d8		7.891	98	229390	40.096	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	80.200%	
43) trans-1,3-Dichloroprop...		8.174	79	38369	44.038	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	88.080%	
47) 2-Hexanone-d5		8.628	63	67015	85.403	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	85.400%	
56) 1,1,2,2-Tetrachloroeth...		10.750	84	133747	46.800	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	93.600%	
66) 1,2-Dichlorobenzene-d4		12.187	152	81044	44.407	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	88.820%	
Target Compounds							Qvalue
14) Carbon disulfide		2.789	76	8359	2.384	ug/L	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU072524\
Data File : VU060218.D
Acq On : 26 Jul 2024 10:08
Operator : MD/SY
Sample : P3260-11
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 53 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VHBLK001

Quant Time: Jul 26 11:29:18 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM070224WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Jul 26 04:34:35 2024
Response via : Initial Calibration

