

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU092022\
 Data File : VU050837.D
 Acq On : 20 Sep 2022 17:36
 Operator : JC/MD
 Sample : N4651-02
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 EXZ21

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM092022WMA.M
 Title : VOC Analysis

Signal : TIC: VU050837.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.597	73	80	99	rVB	299695	360159	17.06%	2.197%
2	1.906	169	176	199	rVB	222628	307718	14.58%	1.877%
3	2.565	368	381	396	rBV	448779	727501	34.47%	4.438%
4	2.800	439	454	475	rVB4	8396	27038	1.28%	0.165%
5	2.957	497	503	507	rBV4	1774	2121	0.10%	0.013%
6	3.044	523	530	538	rVB6	2277	3901	0.18%	0.024%
7	3.179	564	572	573	rBV3	1550	1751	0.08%	0.011%
8	3.362	618	629	645	rVB6	5723	13041	0.62%	0.080%
9	3.504	667	673	677	rBV2	516	462	0.02%	0.003%
10	3.636	708	714	718	rVB3	383	438	0.02%	0.003%
11	3.870	771	787	808	rVV2	71149	169599	8.04%	1.035%
12	3.986	820	823	828	rBV2	629	534	0.03%	0.003%
13	4.147	869	873	879	rVB2	621	474	0.02%	0.003%
14	4.623	1009	1021	1049	rBV	212617	563837	26.71%	3.440%
15	5.063	1142	1158	1184	rBV	375134	819086	38.81%	4.997%
16	5.314	1221	1236	1258	rBV	145989	329111	15.59%	2.008%
17	5.472	1279	1285	1287	rBV3	589	544	0.03%	0.003%
18	5.513	1293	1298	1303	rVV5	473	530	0.03%	0.003%
19	5.726	1339	1364	1384	rBV2	789877	2110700	100.00%	12.876%
20	5.967	1436	1439	1441	rBV4	711	497	0.02%	0.003%
21	6.041	1457	1462	1465	rBV5	670	664	0.03%	0.004%
22	6.250	1511	1527	1551	rBV	615982	1155600	54.75%	7.050%
23	6.481	1597	1599	1604	rVB3	553	402	0.02%	0.002%
24	6.539	1604	1617	1632	rBV6	39156	77953	3.69%	0.476%
25	6.690	1649	1664	1682	rBV	501280	961454	45.55%	5.865%
26	6.989	1752	1757	1762	rBV4	905	1057	0.05%	0.006%
27	7.189	1809	1819	1822	rBV5	2360	3050	0.14%	0.019%
28	7.565	1923	1936	1956	rBV	253181	445026	21.08%	2.715%
29	7.796	2003	2008	2012	rVB4	882	826	0.04%	0.005%
30	7.845	2019	2023	2024	rBV2	748	497	0.02%	0.003%
31	7.899	2026	2040	2054	rBV	909592	1543046	73.11%	9.413%
32	8.179	2115	2127	2143	rBV	173370	300831	14.25%	1.835%
33	8.465	2211	2216	2226	rVB7	1403	2245	0.11%	0.014%
34	8.552	2233	2243	2253	rBV8	4509	7010	0.33%	0.043%
35	8.635	2256	2269	2299	rBV2	615683	1174977	55.67%	7.168%
36	8.864	2333	2340	2350	rBV10	2886	4838	0.23%	0.030%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU092022\
 Data File : VU050837.D
 Acq On : 20 Sep 2022 17:36
 Operator : JC/MD
 Sample : N4651-02
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 EXZ21

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM092022WMA.M
 Title : VOC Analysis

37	8.918	2352	2357	2359	rBV6	1474	1309	0.06%	0.008%
38	9.066	2399	2403	2406	rVB3	620	462	0.02%	0.003%
39	9.111	2414	2417	2421	rBV2	685	583	0.03%	0.004%
40	9.417	2498	2512	2537	rBV	848263	1389293	65.82%	8.475%
41	9.571	2555	2560	2567	rVB3	3047	3703	0.18%	0.023%
42	9.700	2591	2600	2614	rVB9	3586	8052	0.38%	0.049%
43	9.761	2614	2619	2620	rBV2	761	713	0.03%	0.004%
44	9.861	2646	2650	2654	rVB2	603	498	0.02%	0.003%
45	9.896	2654	2661	2664	rBV2	821	872	0.04%	0.005%
46	10.018	2694	2699	2701	rBV4	837	645	0.03%	0.004%
47	10.034	2701	2704	2709	rVV3	746	919	0.04%	0.006%
48	10.102	2720	2725	2726	rBV4	2220	1757	0.08%	0.011%
49	10.230	2760	2765	2767	rVV4	1144	870	0.04%	0.005%
50	10.272	2770	2778	2786	rVV5	6882	10684	0.51%	0.065%
51	10.365	2797	2807	2809	rBV5	2921	3811	0.18%	0.023%
52	10.484	2837	2844	2853	rBV5	2528	3314	0.16%	0.020%
53	10.529	2853	2858	2864	rVB3	682	823	0.04%	0.005%
54	10.671	2894	2902	2905	rBV7	3057	4386	0.21%	0.027%
55	10.754	2916	2928	2945	rBV	678511	1087222	51.51%	6.632%
56	10.905	2962	2975	2983	rVB4	7653	12319	0.58%	0.075%
57	11.005	2998	3006	3008	rBV4	3406	4333	0.21%	0.026%
58	11.089	3023	3032	3043	rBV2	14480	22924	1.09%	0.140%
59	11.295	3085	3096	3112	rVB3	14334	23887	1.13%	0.146%
60	11.407	3127	3131	3132	rBV2	1048	701	0.03%	0.004%
61	11.468	3140	3150	3161	rVB2	36345	54816	2.60%	0.334%
62	11.574	3178	3183	3184	rVV2	552	445	0.02%	0.003%
63	11.610	3188	3194	3198	rVV6	2322	3180	0.15%	0.019%
64	11.642	3199	3204	3215	rVB4	4869	6799	0.32%	0.041%
65	11.700	3215	3222	3227	rBV5	1380	1596	0.08%	0.010%
66	11.745	3227	3236	3244	rBV3	7129	10064	0.48%	0.061%
67	11.812	3244	3257	3273	rBV	700975	1117101	52.93%	6.815%
68	11.896	3276	3283	3292	rVB3	17404	28365	1.34%	0.173%
69	11.973	3305	3307	3310	rVB3	1664	944	0.04%	0.006%
70	12.060	3326	3334	3339	rBV6	4023	6473	0.31%	0.039%
71	12.102	3339	3347	3350	rBV5	5839	8378	0.40%	0.051%
72	12.192	3362	3375	3396	rBV	796214	1273714	60.35%	7.770%
73	12.307	3404	3411	3426	rBV3	7512	13892	0.66%	0.085%
74	12.378	3426	3433	3444	rVB	8811	14305	0.68%	0.087%
75	12.420	3444	3446	3449	rBV2	763	474	0.02%	0.003%
76	12.465	3453	3460	3465	rBV3	7011	9793	0.46%	0.060%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU092022\
 Data File : VU050837.D
 Acq On : 20 Sep 2022 17:36
 Operator : JC/MD
 Sample : N4651-02
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 EXZ21

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM092022WMA.M
 Title : VOC Analysis

77	12.571	3482	3493	3501	rBV3	8459	13025	0.62%	0.079%
78	12.606	3501	3504	3506	rBV3	1190	971	0.05%	0.006%
79	12.684	3520	3528	3529	rBV3	5084	5208	0.25%	0.032%
80	12.806	3564	3566	3570	rBV3	647	464	0.02%	0.003%
81	12.880	3577	3589	3598	rBV8	3567	7043	0.33%	0.043%
82	12.947	3605	3610	3612	rBV3	1452	1342	0.06%	0.008%
83	12.976	3615	3619	3626	rVV2	4909	6135	0.29%	0.037%
84	13.024	3628	3634	3647	rVB	10462	15319	0.73%	0.093%
85	13.111	3651	3661	3669	rBV9	1667	3472	0.16%	0.021%
86	13.221	3691	3695	3700	rVB5	2661	2397	0.11%	0.015%
87	13.452	3757	3767	3779	rVB5	10526	18754	0.89%	0.114%
88	13.629	3814	3822	3827	rBV7	3131	4293	0.20%	0.026%
89	13.841	3877	3888	3897	rBV10	7879	13909	0.66%	0.085%
90	14.044	3949	3951	3955	rBV3	672	612	0.03%	0.004%
91	14.089	3957	3965	3977	rVV2	13605	24818	1.18%	0.151%
92	14.330	4034	4040	4050	rVB5	6043	9429	0.45%	0.058%
93	14.690	4146	4152	4155	rVB4	1119	1364	0.06%	0.008%
94	14.777	4174	4179	4184	rBV4	1325	1316	0.06%	0.008%
95	15.127	4286	4288	4293	rBV3	706	645	0.03%	0.004%
96	15.163	4296	4299	4302	rBV2	700	538	0.03%	0.003%
97	15.413	4369	4377	4387	rBV8	2977	5067	0.24%	0.031%
98	15.491	4399	4401	4404	rBV3	962	652	0.03%	0.004%
99	15.619	4436	4441	4443	rBV3	1286	1119	0.05%	0.007%
100	16.330	4659	4662	4668	rBV4	1500	1685	0.08%	0.010%




Sum of corrected areas: 16392514

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU092022\
Data File : VU050837.D
Acq On : 20 Sep 2022 17:36
Operator : JC/MD
Sample : N4651-02
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
EXZ21

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM092022WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST11.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU092022\
Data File : VU050837.D
Acq On : 20 Sep 2022 17:36
Operator : JC/MD
Sample : N4651-02
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
EXZ21

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM092022WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST11.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU092022\
Data File : VU050837.D
Acq On : 20 Sep 2022 17:36
Operator : JC/MD
Sample : N4651-02
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
EXZ21

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM092022WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST11.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	#	RT	Resp	Conc
------------------	----	---------	-------	----------	---	----	------	------