

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU092022\
 Data File : VU050866.D
 Acq On : 21 Sep 2022 05:22
 Operator : JC/MD
 Sample : N4650-05
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 41 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 EXZ01

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM092022WMA.M
 Title : VOC Analysis

Signal : TIC: VU050866.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.600	73	81	97	rVB2	424300	530197	7.90%	1.969%
2	1.909	169	177	180	rBV	203773	249309	3.72%	0.926%
3	2.465	347	350	352	rBV3	932	596	0.01%	0.002%
4	2.568	366	382	397	rBV2	398740	706108	10.53%	2.623%
5	2.797	444	453	456	rBV6	3454	5792	0.09%	0.022%
6	3.041	522	529	531	rBV3	2452	2636	0.04%	0.010%
7	3.176	563	571	572	rBV4	2802	2508	0.04%	0.009%
8	3.243	587	592	596	rBV3	427	449	0.01%	0.002%
9	3.356	613	627	642	rBV4	23243	46324	0.69%	0.172%
10	3.414	642	645	656	rVB2	423	749	0.01%	0.003%
11	3.552	679	688	693	rVB3	381	544	0.01%	0.002%
12	3.867	767	786	819	rBV	932709	2184306	32.56%	8.113%
13	4.321	924	927	934	rVB3	365	446	0.01%	0.002%
14	4.388	943	948	950	rBV3	453	335	0.00%	0.001%
15	4.404	950	953	961	rVB3	386	463	0.01%	0.002%
16	4.665	1008	1034	1067	rBV2	1711224	4332495	64.59%	16.091%
17	5.063	1143	1158	1185	rVB	329419	726281	10.83%	2.697%
18	5.314	1216	1236	1262	rBV	2976978	6707943	100.00%	24.914%
19	5.726	1342	1364	1398	rBV2	675705	1859944	27.73%	6.908%
20	5.999	1447	1449	1454	rVB3	680	558	0.01%	0.002%
21	6.038	1457	1461	1464	rVV4	608	524	0.01%	0.002%
22	6.115	1481	1485	1487	rBV3	460	379	0.01%	0.001%
23	6.247	1511	1526	1554	rVV	513340	975651	14.54%	3.624%
24	6.456	1588	1591	1596	rVB4	711	636	0.01%	0.002%
25	6.542	1596	1618	1633	rBV2	82723	163059	2.43%	0.606%
26	6.690	1649	1664	1682	rBV	431702	846093	12.61%	3.142%
27	6.944	1740	1743	1747	rBV2	550	384	0.01%	0.001%
28	6.992	1754	1758	1760	rBV2	476	402	0.01%	0.001%
29	7.182	1812	1817	1819	rVV4	1532	1400	0.02%	0.005%
30	7.195	1819	1821	1824	rVV3	1385	990	0.01%	0.004%
31	7.455	1896	1902	1908	rBV2	480	561	0.01%	0.002%
32	7.565	1916	1936	1954	rBV	200780	359843	5.36%	1.336%
33	7.693	1969	1976	1985	rVB8	1620	2915	0.04%	0.011%
34	7.787	2003	2005	2011	rVB3	589	533	0.01%	0.002%
35	7.896	2022	2039	2054	rBV	738430	1267968	18.90%	4.709%
36	8.179	2114	2127	2143	rBV	141915	242056	3.61%	0.899%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU092022\
 Data File : VU050866.D
 Acq On : 21 Sep 2022 05:22
 Operator : JC/MD
 Sample : N4650-05
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 41 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 EXZ01

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM092022WMA.M
 Title : VOC Analysis

37	8.462	2209	2215	2221	rBV5	1062	1631	0.02%	0.006%
38	8.552	2231	2243	2256	rBV	156606	262388	3.91%	0.975%
39	8.632	2256	2268	2308	rVV2	578494	1127704	16.81%	4.188%
40	8.925	2354	2359	2364	rVB4	1324	1380	0.02%	0.005%
41	8.999	2375	2382	2383	rBV2	452	412	0.01%	0.002%
42	9.417	2498	2512	2534	rBV	690660	1153068	17.19%	4.283%
43	9.565	2552	2558	2559	rBV3	1042	931	0.01%	0.003%
44	9.687	2592	2596	2598	rBV4	1010	870	0.01%	0.003%
45	9.889	2654	2659	2664	rBV3	572	498	0.01%	0.002%
46	9.954	2674	2679	2681	rBV2	488	548	0.01%	0.002%
47	10.041	2702	2706	2708	rVV3	412	380	0.01%	0.001%
48	10.102	2718	2725	2727	rBV4	1394	1632	0.02%	0.006%
49	10.269	2773	2777	2785	rVB3	2637	3227	0.05%	0.012%
50	10.359	2802	2805	2808	rBV2	961	644	0.01%	0.002%
51	10.484	2837	2844	2851	rVB5	1475	2404	0.04%	0.009%
52	10.581	2868	2874	2875	rBV2	468	398	0.01%	0.001%
53	10.642	2886	2893	2894	rBV3	998	998	0.01%	0.004%
54	10.754	2915	2928	2945	rBV	618715	1000874	14.92%	3.717%
55	10.906	2966	2975	2983	rVB4	3875	6078	0.09%	0.023%
56	10.999	2995	3004	3009	rBV6	1745	2468	0.04%	0.009%
57	11.086	3018	3031	3042	rBV2	9302	14644	0.22%	0.054%
58	11.211	3066	3070	3073	rBV2	458	410	0.01%	0.002%
59	11.291	3083	3095	3108	rVV2	12171	19030	0.28%	0.071%
60	11.372	3114	3120	3124	rBV3	722	704	0.01%	0.003%
61	11.417	3128	3134	3137	rBV4	2087	1902	0.03%	0.007%
62	11.465	3140	3149	3164	rVB	24178	37362	0.56%	0.139%
63	11.606	3184	3193	3196	rBV5	1358	1798	0.03%	0.007%
64	11.639	3198	3203	3212	rVB3	4281	5714	0.09%	0.021%
65	11.690	3216	3219	3226	rBV5	870	1024	0.02%	0.004%
66	11.745	3229	3236	3243	rVB6	2941	3553	0.05%	0.013%
67	11.809	3243	3256	3274	rBV	542327	872923	13.01%	3.242%
68	11.893	3275	3282	3296	rVB2	15543	23877	0.36%	0.089%
69	11.973	3302	3307	3310	rVB4	1220	1038	0.02%	0.004%
70	12.063	3328	3335	3336	rBV4	2437	2237	0.03%	0.008%
71	12.092	3338	3344	3352	rVV6	9649	15186	0.23%	0.056%
72	12.192	3362	3375	3402	rBV	639494	1049195	15.64%	3.897%
73	12.378	3426	3433	3442	rVB4	3510	5564	0.08%	0.021%
74	12.471	3455	3462	3464	rBV5	2229	2625	0.04%	0.010%
75	12.571	3484	3493	3500	rBV4	3527	4710	0.07%	0.017%
76	12.613	3500	3506	3509	rBV5	1914	2032	0.03%	0.008%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU092022\
 Data File : VU050866.D
 Acq On : 21 Sep 2022 05:22
 Operator : JC/MD
 Sample : N4650-05
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 41 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 EXZ01

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM092022WMA.M
 Title : VOC Analysis

77	12.693	3520	3531	3546	rVB4	8850	19965	0.30%	0.074%
78	12.761	3546	3552	3553	rBV5	649	572	0.01%	0.002%
79	12.870	3580	3586	3593	rVB5	1659	2546	0.04%	0.009%
80	12.944	3605	3609	3612	rBV3	425	380	0.01%	0.001%
81	12.973	3613	3618	3627	rVB5	1579	2141	0.03%	0.008%
82	13.028	3627	3635	3641	rBV5	3717	5086	0.08%	0.019%
83	13.105	3655	3659	3663	rBV3	607	432	0.01%	0.002%
84	13.166	3672	3678	3683	rBV2	568	664	0.01%	0.002%
85	13.208	3689	3691	3695	rVB3	495	379	0.01%	0.001%
86	13.253	3699	3705	3709	rVB5	1285	1200	0.02%	0.004%
87	13.291	3715	3717	3723	rVB4	1080	925	0.01%	0.003%
88	13.320	3723	3726	3728	rBV2	492	376	0.01%	0.001%
89	13.455	3759	3768	3777	rVB7	5749	10032	0.15%	0.037%
90	13.520	3785	3788	3789	rBV	559	362	0.01%	0.001%
91	13.619	3814	3819	3829	rVB5	3210	4277	0.06%	0.016%
92	13.838	3884	3887	3889	rBV2	833	543	0.01%	0.002%
93	13.934	3912	3917	3919	rBV3	779	737	0.01%	0.003%
94	14.092	3956	3966	3976	rBV2	8590	14941	0.22%	0.055%
95	14.455	4077	4079	4082	rVB3	674	367	0.01%	0.001%
96	14.584	4117	4119	4124	rVB4	603	418	0.01%	0.002%
97	14.741	4164	4168	4173	rBV4	577	639	0.01%	0.002%
98	15.233	4317	4321	4324	rBV4	909	847	0.01%	0.003%
99	15.513	4405	4408	4411	rBV3	1037	907	0.01%	0.003%
100	15.880	4520	4522	4525	rBV4	824	601	0.01%	0.002%




Sum of corrected areas: 26924775

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU092022\
Data File : VU050866.D
Acq On : 21 Sep 2022 05:22
Operator : JC/MD
Sample : N4650-05
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 41 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
EXZ01

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM092022WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST11.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU092022\
Data File : VU050866.D
Acq On : 21 Sep 2022 05:22
Operator : JC/MD
Sample : N4650-05
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 41 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
EXZ01

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM092022WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST11.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU092022\
Data File : VU050866.D
Acq On : 21 Sep 2022 05:22
Operator : JC/MD
Sample : N4650-05
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 41 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
EXZ01

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM092022WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST11.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	#	RT	Resp	Conc
------------------	----	---------	-------	----------	---	----	------	------