

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU092024\
 Data File : VU060956.D
 Acq On : 20 Sep 2024 20:53
 Operator : MD/SY
 Sample : P4092-02DL 200X
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0B16DL

Quant Time: Sep 21 01:45:17 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR091624WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Sat Sep 21 01:39:49 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.242	114	119813	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.412	117	124389	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.807	152	49427	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.595	65	48696	4.519	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	90.400%
7) Chloroethane-d5	1.907	69	38968	5.079	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	101.600%
11) 1,1-Dichloroethene-d2	2.560	65	18333	4.800	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	96.000%
20) 2-Butanone-d5	4.631	46	82522	47.700	ug/L	-0.01
Spiked Amount	50.000	Range	40 - 130	Recovery	=	95.400%
24) Chloroform-d	5.055	84	77359	4.696	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	94.000%
26) 1,2-Dichloroethane-d4	5.695	65	40929	5.198	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	104.000%
32) Benzene-d6	5.721	84	149854	4.495	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	89.800%
36) 1,2-Dichloropropane-d6	6.682	67	51165	4.960	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	99.200%
41) Toluene-d8	7.891	98	121009	3.981	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	79.600%
43) trans-1,3-Dichloroprop...	8.177	79	16004	4.310	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	86.200%
46) 2-Hexanone-d5	8.627	63	66181	45.184	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	90.360%
56) 1,1,2,2-Tetrachloroeth...	10.749	84	37634	4.657	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	93.200%
66) 1,2-Dichlorobenzene-d4	12.187	152	40327	4.856	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	97.200%
Target Compounds						
					Qvalue	
34) Trichloroethene	6.534	95	103968	11.596	ug/L	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU092024\
Data File : VU060956.D
Acq On : 20 Sep 2024 20:53
Operator : MD/SY
Sample : P4092-02DL 200X
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 23 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0B16DL

Quant Time: Sep 21 01:45:17 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR091624WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Sat Sep 21 01:39:49 2024
Response via : Initial Calibration

