

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU100522\
 Data File : VU051125.D
 Acq On : 05 Oct 2022 14:27
 Operator : JC/MD
 Sample : N4853-11
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 EW831

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM092922WMA.M
 Title : VOC Analysis

Signal : TIC: VU051125.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.597	73	80	92	rBV	217027	239159	14.72%	2.196%
2	1.899	166	174	195	rVB	178973	246670	15.18%	2.265%
3	2.562	367	380	394	rBV	294349	478244	29.44%	4.391%
4	2.912	486	489	495	rVB3	548	482	0.03%	0.004%
5	3.041	513	529	544	rBV	12894	24340	1.50%	0.223%
6	3.163	564	567	569	rBV2	612	438	0.03%	0.004%
7	3.317	611	615	618	rBV	497	362	0.02%	0.003%
8	3.375	630	633	635	rVB2	230	124	0.01%	0.001%
9	3.391	635	638	640	rBV	242	152	0.01%	0.001%
10	3.414	642	645	649	rVB	488	328	0.02%	0.003%
11	3.440	650	653	658	rBV2	245	235	0.01%	0.002%
12	3.504	666	673	677	rBV2	309	478	0.03%	0.004%
13	3.520	677	678	681	rVB	295	115	0.01%	0.001%
14	3.539	681	684	691	rVB2	449	405	0.02%	0.004%
15	3.571	691	694	699	rBV2	653	525	0.03%	0.005%
16	3.594	699	701	705	rBV	245	183	0.01%	0.002%
17	3.633	710	713	716	rBV2	289	169	0.01%	0.002%
18	3.681	724	728	729	rBV	191	127	0.01%	0.001%
19	3.713	736	738	741	rBV	192	112	0.01%	0.001%
20	3.809	766	768	769	rBV	214	97	0.01%	0.001%
21	3.867	778	786	790	rBV2	1194	1465	0.09%	0.013%
22	4.015	829	832	835	rBV	301	205	0.01%	0.002%
23	4.179	880	883	885	rBV2	195	123	0.01%	0.001%
24	4.259	904	908	912	rBV	399	317	0.02%	0.003%
25	4.282	912	915	918	rBV2	239	230	0.01%	0.002%
26	4.330	928	930	935	rVB2	415	265	0.02%	0.002%
27	4.366	935	941	944	rBV2	305	240	0.01%	0.002%
28	4.382	944	946	947	rBV	75	36	0.00%	0.000%
29	4.433	959	962	965	rVB2	200	121	0.01%	0.001%
30	4.536	990	994	997	rBV2	281	262	0.02%	0.002%
31	4.620	1007	1020	1048	rBV	155745	390017	24.01%	3.581%
32	5.060	1141	1157	1178	rBV	304129	662872	40.80%	6.086%
33	5.369	1249	1253	1255	rBV3	737	597	0.04%	0.005%
34	5.427	1268	1271	1279	rVB2	423	485	0.03%	0.004%
35	5.465	1279	1283	1286	rBV2	417	309	0.02%	0.003%
36	5.539	1301	1306	1309	rBV2	299	282	0.02%	0.003%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU100522\
 Data File : VU051125.D
 Acq On : 05 Oct 2022 14:27
 Operator : JC/MD
 Sample : N4853-11
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 EW831

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM092922WMA.M
 Title : VOC Analysis

37	5.722	1341	1363	1392	rBV2	595407	1624488	100.00%	14.915%
38	6.166	1498	1501	1502	rBV	220	144	0.01%	0.001%
39	6.247	1509	1526	1550	rBV	417752	799549	49.22%	7.341%
40	6.687	1649	1663	1683	rBV	390641	767611	47.25%	7.048%
41	6.902	1728	1730	1731	rBV	282	106	0.01%	0.001%
42	7.018	1764	1766	1769	rVB	285	134	0.01%	0.001%
43	7.079	1782	1785	1790	rBV2	591	474	0.03%	0.004%
44	7.128	1797	1800	1802	rBV2	291	181	0.01%	0.002%
45	7.140	1802	1804	1805	rVV	178	79	0.00%	0.001%
46	7.169	1809	1813	1814	rBV2	365	236	0.01%	0.002%
47	7.185	1814	1818	1826	rVB3	1275	1516	0.09%	0.014%
48	7.263	1840	1842	1843	rBV	258	104	0.01%	0.001%
49	7.330	1860	1863	1865	rBV	192	133	0.01%	0.001%
50	7.394	1881	1883	1887	rBV2	208	114	0.01%	0.001%
51	7.420	1887	1891	1894	rBV	324	250	0.02%	0.002%
52	7.472	1903	1907	1909	rBV	298	198	0.01%	0.002%
53	7.507	1915	1918	1923	rBV2	292	236	0.01%	0.002%
54	7.565	1923	1936	1951	rBV	154407	270573	16.66%	2.484%
55	7.793	2004	2007	2010	rBV2	545	427	0.03%	0.004%
56	7.825	2015	2017	2021	rVB2	483	248	0.02%	0.002%
57	7.896	2021	2039	2056	rBV	627666	1066532	65.65%	9.792%
58	8.176	2115	2126	2144	rBV	111268	189215	11.65%	1.737%
59	8.401	2195	2196	2197	rBV	422	102	0.01%	0.001%
60	8.523	2232	2234	2235	rBV	432	106	0.01%	0.001%
61	8.552	2235	2243	2255	rVB3	9420	15385	0.95%	0.141%
62	8.636	2255	2269	2301	rBV3	360393	842527	51.86%	7.735%
63	8.967	2370	2372	2373	rBV	273	139	0.01%	0.001%
64	9.012	2383	2386	2391	rBV2	301	340	0.02%	0.003%
65	9.092	2409	2411	2415	rVB2	467	274	0.02%	0.003%
66	9.314	2477	2480	2484	rBV2	235	150	0.01%	0.001%
67	9.356	2491	2493	2499	rVB	462	297	0.02%	0.003%
68	9.417	2499	2512	2538	rBV	601781	1004218	61.82%	9.220%
69	9.642	2580	2582	2584	rVB	469	162	0.01%	0.001%
70	9.697	2597	2599	2601	rBV2	395	152	0.01%	0.001%
71	9.963	2680	2682	2686	rVB	299	157	0.01%	0.001%
72	10.192	2751	2753	2755	rBV	254	117	0.01%	0.001%
73	10.221	2759	2762	2763	rBV	175	102	0.01%	0.001%
74	10.240	2766	2768	2771	rVB	382	189	0.01%	0.002%
75	10.491	2844	2846	2848	rBV2	203	96	0.01%	0.001%
76	10.658	2896	2898	2900	rBV	295	108	0.01%	0.001%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU100522\
 Data File : VU051125.D
 Acq On : 05 Oct 2022 14:27
 Operator : JC/MD
 Sample : N4853-11
 Misc : 5.0mL/MSVOA_U/WATER
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 EW831

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM092922WMA.M

Title : VOC Analysis

77	10.754	2916	2928	2953	rVB	561319	901362	55.49%	8.276%
78	11.160	3051	3054	3058	rVB2	580	344	0.02%	0.003%
79	11.404	3128	3130	3131	rBV2	192	66	0.00%	0.001%
80	11.729	3228	3231	3232	rBV2	364	210	0.01%	0.002%
81	11.809	3244	3256	3277	rBV	372917	603473	37.15%	5.541%
82	12.066	3327	3336	3345	rBV4	9444	16325	1.00%	0.150%
83	12.192	3363	3375	3394	rBV	445395	731591	45.04%	6.717%
84	13.028	3632	3635	3641	rBV2	636	590	0.04%	0.005%




Sum of corrected areas: 10891701

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU100522\
Data File : VU051125.D
Acq On : 05 Oct 2022 14:27
Operator : JC/MD
Sample : N4853-11
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
EW831

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM092922WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU100522\
Data File : VU051125.D
Acq On : 05 Oct 2022 14:27
Operator : JC/MD
Sample : N4853-11
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
EW831

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM092922WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU100522\
Data File : VU051125.D
Acq On : 05 Oct 2022 14:27
Operator : JC/MD
Sample : N4853-11
Misc : 5.0mL/MSVOA_U/WATER
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
EW831

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMULM092922WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	#	RT	Resp	Conc
------------------	----	---------	-------	----------	---	----	------	------