

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU102524\
 Data File : VU061240.D
 Acq On : 25 Oct 2024 21:30
 Operator : MD/SY
 Sample : P4560-03
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 31 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 GCNY0

Quant Time: Oct 26 05:05:24 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR102324WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Sat Oct 26 01:22:04 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	6.242	114	191380	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.412	117	170727	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.807	152	75014	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.596	65	49325	3.794	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	75.800%
7) Chloroethane-d5	1.908	69	47766	4.008	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	80.200%
11) 1,1-Dichloroethene-d2	2.560	65	23381	4.204	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	84.000%
20) 2-Butanone-d5	4.628	46	124526	47.178	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	94.360%
24) Chloroform-d	5.052	84	110939	4.496	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	90.000%
26) 1,2-Dichloroethane-d4	5.695	65	57824	4.701	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	94.000%
32) Benzene-d6	5.718	84	227919	4.738	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	94.800%
36) 1,2-Dichloropropane-d6	6.682	67	69253	4.788	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	95.800%
41) Toluene-d8	7.891	98	206343	4.587	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	91.800%
43) trans-1,3-Dichloroprop...	8.177	79	25029	4.240	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	84.800%
46) 2-Hexanone-d5	8.628	63	111169	45.976	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	91.960%
56) 1,1,2,2-Tetrachloroeth...	10.746	84	49825	4.556	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	91.200%
66) 1,2-Dichlorobenzene-d4	12.187	152	65134	4.903	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	98.000%
Target Compounds						Qvalue
17) Methyl tert-butyl Ether	3.358	73	106798	3.483	ug/L	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU102524\
Data File : VU061240.D
Acq On : 25 Oct 2024 21:30
Operator : MD/SY
Sample : P4560-03
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 31 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
GCNY0

Quant Time: Oct 26 05:05:24 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR102324WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Sat Oct 26 01:22:04 2024
Response via : Initial Calibration





#17
Methyl tert-butyl Ether
Concen: 3.483 ug/L
RT: 3.358 min Scan# 64
Delta R.T. 0.003 min
Lab File: VU061240.D
Acq: 25 Oct 2024 21:30

Instrument :
MSVOA_U
ClientSampleId :
GCNY0

Tgt Ion: 73 Resp: 106798
Ion Ratio Lower Upper
73 100
43 18.5 15.0 22.4
57 20.6 17.0 25.6

