

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU110124\
 Data File : VU061364.D
 Acq On : 01 Nov 2024 15:51
 Operator : MD/SY
 Sample : P4625-04
 Misc : 25mL/MSVOA_U/WATER
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :

Quant Time: Nov 04 04:01:14 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR102324WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Fri Nov 01 00:44:02 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Difluorobenzene	6.242	114	160554	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.412	117	147978	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.807	152	65686	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.596	65	39715	3.641	ug/L	0.00
Spiked Amount	5.000	Range 40 - 130	Recovery	=	72.800%	
7) Chloroethane-d5	1.907	69	44190	4.420	ug/L	0.00
Spiked Amount	5.000	Range 65 - 130	Recovery	=	88.400%	
11) 1,1-Dichloroethene-d2	2.560	65	18247	3.910	ug/L	0.00
Spiked Amount	5.000	Range 60 - 125	Recovery	=	78.200%	
20) 2-Butanone-d5	4.624	46	106899	48.276	ug/L	0.00
Spiked Amount	50.000	Range 40 - 130	Recovery	=	96.560%	
24) Chloroform-d	5.055	84	95378	4.607	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	92.200%	
26) 1,2-Dichloroethane-d4	5.695	65	50191	4.864	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	97.200%	
32) Benzene-d6	5.718	84	193626	4.644	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	92.800%	
36) 1,2-Dichloropropane-d6	6.682	67	59757	4.767	ug/L	0.00
Spiked Amount	5.000	Range 60 - 140	Recovery	=	95.400%	
41) Toluene-d8	7.891	98	173466	4.449	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	89.000%	
43) trans-1,3-Dichloroprop...	8.174	79	20651	4.036	ug/L	0.00
Spiked Amount	5.000	Range 55 - 130	Recovery	=	80.800%	
46) 2-Hexanone-d5	8.627	63	94261	44.976	ug/L	0.00
Spiked Amount	50.000	Range 45 - 130	Recovery	=	89.960%	
56) 1,1,2,2-Tetrachloroeth...	10.746	84	44723	4.718	ug/L	0.00
Spiked Amount	5.000	Range 65 - 120	Recovery	=	94.400%	
66) 1,2-Dichlorobenzene-d4	12.187	152	57056	4.905	ug/L	0.00
Spiked Amount	5.000	Range 80 - 120	Recovery	=	98.200%	
Target Compounds						
					Qvalue	
16) Methylene chloride	3.042	84	6504	0.581	ug/L	93
25) Chloroform	5.075	83	11541	0.554	ug/L	100
35) Methylcyclohexane	6.682	83	13930	0.703	ug/L #	21
37) 1,2-Dichloropropane	6.682	63	6656	0.574	ug/L #	89
42) Toluene	7.965	91	6270	0.126	ug/L	89
57) 1,1,2,2-Tetrachloroethane	10.775	83	2054	0.204	ug/L #	91
61) 1,2,3-Trichloropropane	11.804	75	8281	1.266	ug/L #	69

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU110124\
Data File : VU061364.D
Acq On : 01 Nov 2024 15:51
Operator : MD/SY
Sample : P4625-04
Misc : 25mL/MSVOA_U/WATER
ALS Vial : 18 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :

Quant Time: Nov 04 04:01:14 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR102324WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Fri Nov 01 00:44:02 2024
Response via : Initial Calibration

