

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU110124\
 Data File : VU061369.D
 Acq On : 01 Nov 2024 17:54
 Operator : MD/SY
 Sample : P4625-05
 Misc : 25mL/MSVOA_U/WATER
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :

Quant Time: Nov 04 04:01:46 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR102324WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Fri Nov 01 00:44:02 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Difluorobenzene	6.242	114	165731	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.412	117	157100	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.807	152	68340	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.596	65	37968	3.373	ug/L	0.00
Spiked Amount	5.000	Range 40 - 130	Recovery	=	67.400%	
7) Chloroethane-d5	1.907	69	42454	4.113	ug/L	0.00
Spiked Amount	5.000	Range 65 - 130	Recovery	=	82.200%	
11) 1,1-Dichloroethene-d2	2.560	65	17837	3.703	ug/L	0.00
Spiked Amount	5.000	Range 60 - 125	Recovery	=	74.000%	
20) 2-Butanone-d5	4.621	46	115475	50.520	ug/L	0.00
Spiked Amount	50.000	Range 40 - 130	Recovery	=	101.040%	
24) Chloroform-d	5.052	84	90259	4.224	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	84.400%	
26) 1,2-Dichloroethane-d4	5.695	65	50725	4.762	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	95.200%	
32) Benzene-d6	5.718	84	186373	4.210	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	84.200%	
36) 1,2-Dichloropropane-d6	6.682	67	58593	4.403	ug/L	0.00
Spiked Amount	5.000	Range 60 - 140	Recovery	=	88.000%	
41) Toluene-d8	7.891	98	165372	3.995	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	80.000%	
43) trans-1,3-Dichloroprop...	8.174	79	20381	3.752	ug/L	0.00
Spiked Amount	5.000	Range 55 - 130	Recovery	=	75.000%	
46) 2-Hexanone-d5	8.627	63	102294	45.975	ug/L	0.00
Spiked Amount	50.000	Range 45 - 130	Recovery	=	91.940%	
56) 1,1,2,2-Tetrachloroeth...	10.746	84	46853	4.655	ug/L	0.00
Spiked Amount	5.000	Range 65 - 120	Recovery	=	93.200%	
66) 1,2-Dichlorobenzene-d4	12.187	152	55089	4.552	ug/L	0.00
Spiked Amount	5.000	Range 80 - 120	Recovery	=	91.000%	
Target Compounds						
					Qvalue	
35) Methylcyclohexane	6.682	83	13484	0.641	ug/L #	21
37) 1,2-Dichloropropane	6.685	63	6533	0.530	ug/L #	89
61) 1,2,3-Trichloropropane	11.804	75	8718	1.281	ug/L #	67

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU110124\
Data File : VU061369.D
Acq On : 01 Nov 2024 17:54
Operator : MD/SY
Sample : P4625-05
Misc : 25mL/MSVOA_U/WATER
ALS Vial : 23 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :

Quant Time: Nov 04 04:01:46 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR102324WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Fri Nov 01 00:44:02 2024
Response via : Initial Calibration

