

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU110124\
 Data File : VU061378.D
 Acq On : 01 Nov 2024 22:24
 Operator : MD/SY
 Sample : P4625-13
 Misc : 25mL/MSVOA_U/WATER
 ALS Vial : 34 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :

Quant Time: Nov 04 05:08:31 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR102324WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Fri Nov 01 00:44:02 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Difluorobenzene	6.242	114	172368	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.409	117	156350	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.804	152	70030	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.596	65	38475	3.286	ug/L	0.00
Spiked Amount	5.000	Range 40 - 130	Recovery	=	65.800%	
7) Chloroethane-d5	1.908	69	43410	4.044	ug/L	0.00
Spiked Amount	5.000	Range 65 - 130	Recovery	=	80.800%	
11) 1,1-Dichloroethene-d2	2.560	65	18712	3.735	ug/L	0.00
Spiked Amount	5.000	Range 60 - 125	Recovery	=	74.800%	
20) 2-Butanone-d5	4.621	46	112244	47.215	ug/L	0.00
Spiked Amount	50.000	Range 40 - 130	Recovery	=	94.440%	
24) Chloroform-d	5.052	84	94483	4.251	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	85.000%	
26) 1,2-Dichloroethane-d4	5.692	65	49887	4.503	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	90.000%	
32) Benzene-d6	5.718	84	193714	4.397	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	88.000%	
36) 1,2-Dichloropropane-d6	6.682	67	60490	4.567	ug/L	0.00
Spiked Amount	5.000	Range 60 - 140	Recovery	=	91.400%	
41) Toluene-d8	7.891	98	175239	4.254	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	85.000%	
43) trans-1,3-Dichloroprop...	8.177	79	20279	3.751	ug/L	0.00
Spiked Amount	5.000	Range 55 - 130	Recovery	=	75.000%	
46) 2-Hexanone-d5	8.627	63	98835	44.633	ug/L	0.00
Spiked Amount	50.000	Range 45 - 130	Recovery	=	89.260%	
56) 1,1,2,2-Tetrachloroeth...	10.750	84	44793	4.472	ug/L	0.00
Spiked Amount	5.000	Range 65 - 120	Recovery	=	89.400%	
66) 1,2-Dichlorobenzene-d4	12.187	152	58594	4.725	ug/L	0.00
Spiked Amount	5.000	Range 80 - 120	Recovery	=	94.400%	
Target Compounds						
35) Methylcyclohexane	6.682	83	13910	0.664	ug/L #	21
37) 1,2-Dichloropropane	6.682	63	6503	0.531	ug/L #	89
42) Toluene	7.962	91	585459	11.150	ug/L	99
61) 1,2,3-Trichloropropane	11.804	75	8547	1.225	ug/L #	67
71) Naphthalene	14.084	128	53987	2.747	ug/L	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU110124\
Data File : VU061378.D
Acq On : 01 Nov 2024 22:24
Operator : MD/SY
Sample : P4625-13
Misc : 25mL/MSVOA_U/WATER
ALS Vial : 34 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :

Quant Time: Nov 04 05:08:31 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR102324WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Fri Nov 01 00:44:02 2024
Response via : Initial Calibration

