

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU110124\
 Data File : VU061354.D
 Acq On : 01 Nov 2024 11:45
 Operator : MD/SY
 Sample : P4631-21
 Misc : 25mL/MSVOA_U/WATER
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 GCP15

Quant Time: Nov 04 04:00:12 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR102324WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Fri Nov 01 00:44:02 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	6.242	114	173025	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.412	117	163932	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.807	152	73751	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.595	65	44892	3.819	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	76.400%
7) Chloroethane-d5	1.907	69	49776	4.620	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	92.400%
11) 1,1-Dichloroethene-d2	2.560	65	20585	4.093	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	81.800%
20) 2-Butanone-d5	4.624	46	118200	49.532	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	99.060%
24) Chloroform-d	5.055	84	105644	4.735	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	94.800%
26) 1,2-Dichloroethane-d4	5.695	65	54777	4.926	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	98.600%
32) Benzene-d6	5.717	84	215791	4.672	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	93.400%
36) 1,2-Dichloropropane-d6	6.682	67	67066	4.829	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	96.600%
41) Toluene-d8	7.891	98	192808	4.464	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	89.200%
43) trans-1,3-Dichloroprop...	8.177	79	23013	4.060	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	81.200%
46) 2-Hexanone-d5	8.627	63	100484	43.279	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	86.560%
56) 1,1,2,2-Tetrachloroeth...	10.749	84	46985	4.474	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	89.400%
66) 1,2-Dichlorobenzene-d4	12.187	152	62198	4.763	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	95.200%
Target Compounds						
13) Acetone	2.644	43	10403	6.883	ug/L	100
42) Toluene	7.968	91	11768	0.214	ug/L	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU110124\
Data File : VU061354.D
Acq On : 01 Nov 2024 11:45
Operator : MD/SY
Sample : P4631-21
Misc : 25mL/MSVOA_U/WATER
ALS Vial : 8 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
GCP15

Quant Time: Nov 04 04:00:12 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR102324WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Fri Nov 01 00:44:02 2024
Response via : Initial Calibration





#13

Acetone

Concen: 6.883 ug/L

RT: 2.644 min Scan# 42

Delta R.T. -0.000 min

Lab File: VU061354.D

Acq: 01 Nov 2024 11:45

Instrument :

MSVOA_U

ClientSampleId :





GCP15

Tgt Ion: 43 Resp: 10403

Ion Ratio Lower Upper

43 100

58 36.7 0.0 73.2



#42

Toluene

Concen: 0.214 ug/L

RT: 7.968 min Scan# 2077

Delta R.T. 0.006 min

Lab File: VU061354.D

Acq: 01 Nov 2024 11:45

Tgt Ion: 91 Resp: 11768

Ion Ratio Lower Upper

91 100

92 58.2 40.3 74.8

