

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU110124\
 Data File : VU061386.D
 Acq On : 02 Nov 2024 01:40
 Operator : MD/SY
 Sample : P4671-02
 Misc : 25mL/MSVOA_U/WATER
 ALS Vial : 42 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0AB1

Quant Time: Nov 04 05:09:19 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR102324WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Fri Nov 01 00:44:02 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	6.242	114	172366	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.412	117	157891	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.804	152	69715	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.595	65	36457	3.114	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	62.200%
7) Chloroethane-d5	1.907	69	42065	3.919	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	78.400%
11) 1,1-Dichloroethene-d2	2.560	65	17757	3.545	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	70.800%
20) 2-Butanone-d5	4.621	46	110768	46.595	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	93.200%
24) Chloroform-d	5.052	84	92047	4.142	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	82.800%
26) 1,2-Dichloroethane-d4	5.695	65	49297	4.450	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	89.000%
32) Benzene-d6	5.718	84	186465	4.191	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	83.800%
36) 1,2-Dichloropropane-d6	6.682	67	58085	4.343	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	86.800%
41) Toluene-d8	7.891	98	167176	4.019	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	80.400%
43) trans-1,3-Dichloroprop...	8.174	79	18448	3.379	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	67.600%
46) 2-Hexanone-d5	8.627	63	91946	41.117	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	82.240%
56) 1,1,2,2-Tetrachloroeth...	10.749	84	45688	4.517	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	90.400%
66) 1,2-Dichlorobenzene-d4	12.187	152	57321	4.643	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	92.800%
Target Compounds					Qvalue	
3) Chloromethane	1.518	50	1800	0.149	ug/L	87

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU110124\
Data File : VU061386.D
Acq On : 02 Nov 2024 01:40
Operator : MD/SY
Sample : P4671-02
Misc : 25mL/MSVOA_U/WATER
ALS Vial : 42 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0AB1

Quant Time: Nov 04 05:09:19 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR102324WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Fri Nov 01 00:44:02 2024
Response via : Initial Calibration



Abundance Scan 71 (1.518 min): VU061374.D\data.ms (-62)



#3

Chloromethane

Concen: 0.149 ug/L

RT: 1.518 min Scan# 71

Delta R.T. -0.000 min

Lab File: VU061386.D

Acq: 02 Nov 2024 01:40


Instrument :

MSVOA_U

ClientSampleId :

C0AB1

Abundance Scan 71 (1.518 min): VU061386.D\data.ms




Tgt Ion: 50 Resp: 1800

Ion Ratio Lower Upper

50 100

52 26.3 23.4 43.4

Abundance Scan 71 (1.518 min): VU061386.D\data.ms (-1)



Abundance

