

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU110424\
 Data File : VU061412.D
 Acq On : 04 Nov 2024 16:58
 Operator : MD/SY
 Sample : P4690-12
 Misc : 25mL/MSVOA_U/WATER
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :

Quant Time: Nov 05 00:51:24 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR102324WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Fri Nov 01 00:44:02 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Difluorobenzene	6.242	114	160267	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.412	117	151672	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.807	152	65469	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.596	65	33755	3.101	ug/L	0.00
Spiked Amount	5.000	Range 40 - 130	Recovery	=	62.000%	
7) Chloroethane-d5	1.907	69	38736	3.881	ug/L	0.00
Spiked Amount	5.000	Range 65 - 130	Recovery	=	77.600%	
11) 1,1-Dichloroethene-d2	2.560	65	16387	3.518	ug/L	0.00
Spiked Amount	5.000	Range 60 - 125	Recovery	=	70.400%	
20) 2-Butanone-d5	4.621	46	115404	52.210	ug/L	0.00
Spiked Amount	50.000	Range 40 - 130	Recovery	=	104.420%	
24) Chloroform-d	5.055	84	86805	4.201	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	84.000%	
26) 1,2-Dichloroethane-d4	5.692	65	48482	4.707	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	94.200%	
32) Benzene-d6	5.718	84	173978	4.071	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	81.400%	
36) 1,2-Dichloropropane-d6	6.682	67	55734	4.338	ug/L	0.00
Spiked Amount	5.000	Range 60 - 140	Recovery	=	86.800%	
41) Toluene-d8	7.891	98	154797	3.874	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	77.400%	
43) trans-1,3-Dichloroprop...	8.177	79	19471	3.712	ug/L	0.00
Spiked Amount	5.000	Range 55 - 130	Recovery	=	74.200%	
46) 2-Hexanone-d5	8.627	63	98436	45.824	ug/L	0.00
Spiked Amount	50.000	Range 45 - 130	Recovery	=	91.640%	
56) 1,1,2,2-Tetrachloroeth...	10.746	84	46716	4.808	ug/L	0.00
Spiked Amount	5.000	Range 65 - 120	Recovery	=	96.200%	
66) 1,2-Dichlorobenzene-d4	12.187	152	53295	4.597	ug/L	0.00
Spiked Amount	5.000	Range 80 - 120	Recovery	=	92.000%	
Target Compounds						
3) Chloromethane	1.515	50	1344	0.119	ug/L	97
35) Methylcyclohexane	6.682	83	13161	0.648	ug/L #	21
37) 1,2-Dichloropropane	6.679	63	5722	0.481	ug/L #	89
61) 1,2,3-Trichloropropane	11.804	75	8364	1.282	ug/L #	69

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU110424\
Data File : VU061412.D
Acq On : 04 Nov 2024 16:58
Operator : MD/SY
Sample : P4690-12
Misc : 25mL/MSVOA_U/WATER
ALS Vial : 19 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :

Quant Time: Nov 05 00:51:24 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR102324WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Fri Nov 01 00:44:02 2024
Response via : Initial Calibration

