

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU110424\
 Data File : VU061406.D
 Acq On : 04 Nov 2024 14:30
 Operator : MD/SY
 Sample : P4690-06
 Misc : 25mL/MSVOA_U/WATER
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0CF7

Quant Time: Nov 05 00:50:47 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR102324WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Fri Nov 01 00:44:02 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.242	114	183223	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.409	117	168238	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.804	152	73658	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.595	65	35698	2.868	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	57.400%
7) Chloroethane-d5	1.907	69	41090	3.601	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	72.000%
11) 1,1-Dichloroethene-d2	2.560	65	16943	3.182	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	63.600%
20) 2-Butanone-d5	4.621	46	112269	44.428	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	88.860%
24) Chloroform-d	5.052	84	92411	3.912	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	78.200%
26) 1,2-Dichloroethane-d4	5.695	65	48766	4.141	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	82.800%
32) Benzene-d6	5.718	84	184795	3.898	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	78.000%
36) 1,2-Dichloropropane-d6	6.682	67	58520	4.106	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	82.200%
41) Toluene-d8	7.891	98	164848	3.719	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	74.400%
43) trans-1,3-Dichloroprop...	8.174	79	21120	3.630	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	72.600%
46) 2-Hexanone-d5	8.627	63	93028	39.042	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	78.080%
56) 1,1,2,2-Tetrachloroeth...	10.749	84	44840	4.161	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	83.200%
66) 1,2-Dichlorobenzene-d4	12.187	152	55160	4.229	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	84.600%
Target Compounds						
13) Acetone	2.637	43	6794	4.245	ug/L	91
47) Tetrachloroethene	8.544	164	154382	15.618	ug/L	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU110424\
Data File : VU061406.D
Acq On : 04 Nov 2024 14:30
Operator : MD/SY
Sample : P4690-06
Misc : 25mL/MSVOA_U/WATER
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0CF7

Quant Time: Nov 05 00:50:47 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR102324WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Fri Nov 01 00:44:02 2024
Response via : Initial Calibration

