

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU110424\
 Data File : VU061401.D
 Acq On : 04 Nov 2024 12:28
 Operator : MD/SY
 Sample : P4671-03
 Misc : 25mL/MSVOA_U/WATER
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0AB2

Quant Time: Nov 05 00:50:15 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR102324WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Fri Nov 01 00:44:02 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	6.242	114	178932	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.409	117	163526	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.804	152	74063	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.596	65	36649	3.015	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	60.400%
7) Chloroethane-d5	1.908	69	40997	3.679	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	73.600%
11) 1,1-Dichloroethene-d2	2.560	65	18355	3.530	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	70.600%
20) 2-Butanone-d5	4.624	46	105959	42.937	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	85.880%
24) Chloroform-d	5.055	84	93605	4.057	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	81.200%
26) 1,2-Dichloroethane-d4	5.695	65	48666	4.232	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	84.600%
32) Benzene-d6	5.718	84	186242	4.042	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	80.800%
36) 1,2-Dichloropropane-d6	6.682	67	58811	4.245	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	85.000%
41) Toluene-d8	7.891	98	163386	3.792	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	75.800%
43) trans-1,3-Dichloroprop...	8.177	79	19883	3.516	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	70.400%
46) 2-Hexanone-d5	8.627	63	90088	38.898	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	77.800%
56) 1,1,2,2-Tetrachloroeth...	10.746	84	44425	4.241	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	84.800%
66) 1,2-Dichlorobenzene-d4	12.187	152	55630	4.242	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	84.800%
Target Compounds					Qvalue	
3) Chloromethane	1.515	50	2239	0.178	ug/L	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU110424\
Data File : VU061401.D
Acq On : 04 Nov 2024 12:28
Operator : MD/SY
Sample : P4671-03
Misc : 25mL/MSVOA_U/WATER
ALS Vial : 8 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0AB2


Quant Time: Nov 05 00:50:15 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR102324WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Fri Nov 01 00:44:02 2024
Response via : Initial Calibration





#3
Chloromethane
Concen: 0.178 ug/L
RT: 1.515 min Scan# 70
Delta R.T. -0.003 min
Lab File: VU061401.D
Acq: 04 Nov 2024 12:28

Instrument :
MSVOA_U
ClientSampleId :
C0AB2



Tgt Ion: 50 Resp: 2239
Ion Ratio Lower Upper
50 100
52 34.4 23.4 43.4

