

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU110524\
 Data File : VU061449.D
 Acq On : 05 Nov 2024 13:43
 Operator : MD/SY
 Sample : P4690-02DL 5X
 Misc : 25mL/MSVOA_U/WATER
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0CF5DL

Quant Time: Nov 06 00:02:01 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR102324WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Tue Nov 05 23:59:28 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.242	114	156030	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.412	117	148134	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.804	152	65215	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.595	65	53711	5.068	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	101.400%
7) Chloroethane-d5	1.907	69	56207	5.785	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	115.600%
11) 1,1-Dichloroethene-d2	2.560	65	23837	5.256	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	105.200%
20) 2-Butanone-d5	4.624	46	115020	53.449	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	106.900%
24) Chloroform-d	5.055	84	104615	5.200	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	104.000%
26) 1,2-Dichloroethane-d4	5.692	65	54559	5.441	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	108.800%
32) Benzene-d6	5.717	84	221367	5.304	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	106.000%
36) 1,2-Dichloropropane-d6	6.682	67	66693	5.315	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	106.200%
41) Toluene-d8	7.891	98	195999	5.022	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	100.400%
43) trans-1,3-Dichloroprop...	8.174	79	22094	4.313	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	86.200%
46) 2-Hexanone-d5	8.627	63	102478	48.845	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	97.700%
56) 1,1,2,2-Tetrachloroeth...	10.749	84	49294	5.195	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	103.800%
66) 1,2-Dichlorobenzene-d4	12.187	152	62328	5.397	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	108.000%
Target Compounds					Qvalue	
47) Tetrachloroethene	8.544	164	61682	7.087	ug/L	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU110524\
Data File : VU061449.D
Acq On : 05 Nov 2024 13:43
Operator : MD/SY
Sample : P4690-02DL 5X
Misc : 25mL/MSVOA_U/WATER
ALS Vial : 6 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0CF5DL

Quant Time: Nov 06 00:02:01 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR102324WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Tue Nov 05 23:59:28 2024
Response via : Initial Calibration

