

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU110524\
 Data File : VU061463.D
 Acq On : 05 Nov 2024 19:28
 Operator : MD/SY
 Sample : P4689-08
 Misc : 25mL/MSVOA_U/WATER
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0CD2

Quant Time: Nov 06 00:05:29 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR102324WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Tue Nov 05 23:59:28 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.242	114	140965	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.412	117	134857	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.804	152	55879	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.596	65	48633	5.079	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	101.600%
7) Chloroethane-d5	1.907	69	51103	5.821	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	116.400%
11) 1,1-Dichloroethene-d2	2.560	65	21219	5.179	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	103.600%
20) 2-Butanone-d5	4.624	46	108257	55.683	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	111.360%
24) Chloroform-d	5.052	84	97440	5.361	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	107.200%
26) 1,2-Dichloroethane-d4	5.692	65	51188	5.650	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	113.000%
32) Benzene-d6	5.718	84	202150	5.320	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	106.400%
36) 1,2-Dichloropropane-d6	6.682	67	62583	5.478	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	109.600%
41) Toluene-d8	7.891	98	178508	5.024	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	100.400%
43) trans-1,3-Dichloroprop...	8.177	79	19121	4.100	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	82.000%
46) 2-Hexanone-d5	8.627	63	93306	48.852	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	97.700%
56) 1,1,2,2-Tetrachloroeth...	10.746	84	45531	5.270	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	105.400%
66) 1,2-Dichlorobenzene-d4	12.187	152	55002	5.559	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	111.200%
Target Compounds					Qvalue	
47) Tetrachloroethene	8.547	164	4913	0.620	ug/L	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU110524\
Data File : VU061463.D
Acq On : 05 Nov 2024 19:28
Operator : MD/SY
Sample : P4689-08
Misc : 25mL/MSVOA_U/WATER
ALS Vial : 20 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0CD2

Quant Time: Nov 06 00:05:29 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR102324WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Tue Nov 05 23:59:28 2024
Response via : Initial Calibration

