

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU110524\
 Data File : VU061474.D
 Acq On : 06 Nov 2024 01:02
 Operator : MD/SY
 Sample : P4689-21
 Misc : 25mL/MSVOA_U/WATER
 ALS Vial : 33 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0CF2

Quant Time: Nov 06 03:41:29 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR102324WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Wed Nov 06 00:52:59 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.242	114	140403	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.409	117	132038	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.804	152	55995	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.596	65	48503	5.085	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	101.800%
7) Chloroethane-d5	1.911	69	46340	5.300	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	106.000%
11) 1,1-Dichloroethene-d2	2.560	65	22029	5.398	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	108.000%
20) 2-Butanone-d5	4.628	46	107739	55.638	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	111.280%
24) Chloroform-d	5.056	84	96796	5.347	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	107.000%
26) 1,2-Dichloroethane-d4	5.692	65	50632	5.611	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	112.200%
32) Benzene-d6	5.718	84	205020	5.511	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	110.200%
36) 1,2-Dichloropropane-d6	6.682	67	62329	5.572	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	111.400%
41) Toluene-d8	7.891	98	181509	5.218	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	104.400%
43) trans-1,3-Dichloroprop...	8.174	79	19926	4.364	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	87.200%
46) 2-Hexanone-d5	8.628	63	92101	49.250	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	98.500%
56) 1,1,2,2-Tetrachloroeth...	10.747	84	45550	5.385	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	107.800%
66) 1,2-Dichlorobenzene-d4	12.187	152	58664	5.916	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	118.400%
Target Compounds					Qvalue	
47) Tetrachloroethene	8.544	164	38833	5.005	ug/L	94

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU110524\
Data File : VU061474.D
Acq On : 06 Nov 2024 01:02
Operator : MD/SY
Sample : P4689-21
Misc : 25mL/MSVOA_U/WATER
ALS Vial : 33 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0CF2

Quant Time: Nov 06 03:41:29 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR102324WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Wed Nov 06 00:52:59 2024
Response via : Initial Calibration

