

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU110624\
 Data File : VU061503.D
 Acq On : 06 Nov 2024 15:43
 Operator : MD/SY
 Sample : P4689-18DL 20X
 Misc : 25mL/MSVOA_U/WATER
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0CE9DL

Quant Time: Nov 07 00:53:05 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR102324WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Thu Nov 07 00:10:32 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.242	114	145487	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.412	117	137119	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.808	152	60981	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.596	65	49917	5.051	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	101.000%
7) Chloroethane-d5	1.908	69	68538	7.565	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	151.200%#
11) 1,1-Dichloroethene-d2	2.554	65	23518	5.562	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	111.200%
20) 2-Butanone-d5	4.631	46	121558	60.581	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	121.160%
24) Chloroform-d	5.052	84	106967	5.702	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	114.000%
26) 1,2-Dichloroethane-d4	5.692	65	56165	6.007	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	120.200%
32) Benzene-d6	5.718	84	228004	5.901	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	118.000%
36) 1,2-Dichloropropane-d6	6.679	67	68585	5.905	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	118.000%
41) Toluene-d8	7.891	98	197665	5.472	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	109.400%
43) trans-1,3-Dichloroprop...	8.174	79	21021	4.433	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	88.600%
46) 2-Hexanone-d5	8.637	63	114194	58.802	ug/L	0.01
Spiked Amount	50.000	Range	45 - 130	Recovery	=	117.600%
56) 1,1,2,2-Tetrachloroeth...	10.750	84	51295	5.840	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	116.800%
66) 1,2-Dichlorobenzene-d4	12.187	152	66461	6.155	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	123.000%#
Target Compounds					Qvalue	
47) Tetrachloroethene	8.544	164	41259	5.121	ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU110624\
Data File : VU061503.D
Acq On : 06 Nov 2024 15:43
Operator : MD/SY
Sample : P4689-18DL 20X
Misc : 25mL/MSVOA_U/WATER
ALS Vial : 16 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0CE9DL

Quant Time: Nov 07 00:53:05 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR102324WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Thu Nov 07 00:10:32 2024
Response via : Initial Calibration

