

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU110624\
 Data File : VU061504.D
 Acq On : 06 Nov 2024 16:08
 Operator : MD/SY
 Sample : P4689-19DL 50X
 Misc : 25mL/MSVOA_U/WATER
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0CF0DL

Quant Time: Nov 07 00:53:21 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR102324WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Thu Nov 07 00:10:32 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.242	114	150717	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.412	117	143892	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.807	152	61586	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.595	65	46914	4.582	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	91.600%
7) Chloroethane-d5	1.907	69	55588	5.922	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	118.400%
11) 1,1-Dichloroethene-d2	2.560	65	21230	4.847	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	97.000%
20) 2-Butanone-d5	4.624	46	109817	52.831	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	105.660%
24) Chloroform-d	5.052	84	98006	5.043	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	100.800%
26) 1,2-Dichloroethane-d4	5.695	65	52345	5.404	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	108.000%
32) Benzene-d6	5.718	84	207987	5.130	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	102.600%
36) 1,2-Dichloropropane-d6	6.682	67	63390	5.200	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	104.000%
41) Toluene-d8	7.891	98	178813	4.717	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	94.400%
43) trans-1,3-Dichloroprop...	8.174	79	19350	3.889	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	77.800%
46) 2-Hexanone-d5	8.627	63	98600	48.382	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	96.760%
56) 1,1,2,2-Tetrachloroeth...	10.746	84	46217	5.014	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	100.200%
66) 1,2-Dichlorobenzene-d4	12.187	152	58066	5.324	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	106.400%
Target Compounds					Qvalue	
47) Tetrachloroethene	8.544	164	35116	4.153	ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU110624\
Data File : VU061504.D
Acq On : 06 Nov 2024 16:08
Operator : MD/SY
Sample : P4689-19DL 50X
Misc : 25mL/MSVOA_U/WATER
ALS Vial : 17 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0CF0DL

Quant Time: Nov 07 00:53:21 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR102324WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Thu Nov 07 00:10:32 2024
Response via : Initial Calibration

