

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU110624\
 Data File : VU061506.D
 Acq On : 06 Nov 2024 16:57
 Operator : MD/SY
 Sample : P4689-22DL 200X
 Misc : 25mL/MSVOA_U/WATER
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0CF3DL

Quant Time: Nov 07 00:53:52 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR102324WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Thu Nov 07 00:10:32 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.242	114	141647	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.412	117	133233	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.807	152	57246	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.595	65	45527	4.732	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	94.600%
7) Chloroethane-d5	1.907	69	49561	5.618	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	112.400%
11) 1,1-Dichloroethene-d2	2.560	65	21091	5.123	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	102.400%
20) 2-Butanone-d5	4.628	46	106474	54.502	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	109.000%
24) Chloroform-d	5.055	84	95853	5.248	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	105.000%
26) 1,2-Dichloroethane-d4	5.695	65	50412	5.538	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	110.800%
32) Benzene-d6	5.718	84	197499	5.261	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	105.200%
36) 1,2-Dichloropropane-d6	6.679	67	60431	5.354	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	107.000%
41) Toluene-d8	7.891	98	175565	5.002	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	100.000%
43) trans-1,3-Dichloroprop...	8.174	79	18387	3.991	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	79.800%
46) 2-Hexanone-d5	8.627	63	92822	49.191	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	98.380%
56) 1,1,2,2-Tetrachloroeth...	10.746	84	44887	5.259	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	105.200%
66) 1,2-Dichlorobenzene-d4	12.187	152	56593	5.583	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	111.600%
Target Compounds					Qvalue	
47) Tetrachloroethene	8.547	164	17302	2.210	ug/L	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU110624\
Data File : VU061506.D
Acq On : 06 Nov 2024 16:57
Operator : MD/SY
Sample : P4689-22DL 200X
Misc : 25mL/MSVOA_U/WATER
ALS Vial : 19 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0CF3DL

Quant Time: Nov 07 00:53:52 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR102324WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Thu Nov 07 00:10:32 2024
Response via : Initial Calibration

