

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU110724\
 Data File : VU061519.D
 Acq On : 07 Nov 2024 12:32
 Operator : MD/SY
 Sample : P4689-13DL 100X
 Misc : 25mL/MSVOA_U/WATER
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 C0CD9DL

Quant Time: Nov 08 00:28:04 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR102324WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Fri Nov 08 00:26:16 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.242	114	146816	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.412	117	140132	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.807	152	59871	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.595	65	46565	4.669	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	93.400%
7) Chloroethane-d5	1.907	69	51251	5.606	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	112.200%
11) 1,1-Dichloroethene-d2	2.560	65	21234	4.976	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	99.600%
20) 2-Butanone-d5	4.624	46	114972	56.780	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	113.560%
24) Chloroform-d	5.052	84	98728	5.215	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	104.400%
26) 1,2-Dichloroethane-d4	5.695	65	50897	5.394	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	107.800%
32) Benzene-d6	5.718	84	208176	5.272	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	105.400%
36) 1,2-Dichloropropane-d6	6.682	67	63895	5.382	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	107.600%
41) Toluene-d8	7.891	98	181131	4.906	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	98.200%
43) trans-1,3-Dichloroprop...	8.174	79	19551	4.035	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	80.600%
46) 2-Hexanone-d5	8.627	63	97333	49.042	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	98.080%
56) 1,1,2,2-Tetrachloroeth...	10.746	84	47959	5.342	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	106.800%
66) 1,2-Dichlorobenzene-d4	12.187	152	58861	5.552	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	111.000%
Target Compounds					Qvalue	
47) Tetrachloroethene	8.547	164	44253	5.375	ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU110724\
Data File : VU061519.D
Acq On : 07 Nov 2024 12:32
Operator : MD/SY
Sample : P4689-13DL 100X
Misc : 25mL/MSVOA_U/WATER
ALS Vial : 7 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
C0CD9DL

Quant Time: Nov 08 00:28:04 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR102324WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Fri Nov 08 00:26:16 2024
Response via : Initial Calibration

