

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU110824\
 Data File : VU061551.D
 Acq On : 08 Nov 2024 16:04
 Operator : MD/SY
 Sample : P4743-15DL 100X
 Misc : 25mL/MSVOA_U/WATER
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 H46X1DL

Quant Time: Nov 09 00:21:15 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR102324WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Sat Nov 09 00:17:10 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	6.242	114	146815	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.412	117	130669	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.804	152	52417	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.596	65	42493	4.261	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	85.200%
7) Chloroethane-d5	1.907	69	50267	5.498	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	110.000%
11) 1,1-Dichloroethene-d2	2.560	65	19810	4.643	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	92.800%
20) 2-Butanone-d5	4.624	46	118439	58.493	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	116.980%
24) Chloroform-d	5.052	84	100575	5.313	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	106.200%
26) 1,2-Dichloroethane-d4	5.695	65	51763	5.486	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	109.800%
32) Benzene-d6	5.718	84	202268	5.494	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	109.800%
36) 1,2-Dichloropropane-d6	6.682	67	63338	5.722	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	114.400%
41) Toluene-d8	7.891	98	170888	4.964	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	99.200%
43) trans-1,3-Dichloroprop...	8.177	79	19081	4.223	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	84.400%
46) 2-Hexanone-d5	8.627	63	106269	57.422	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	114.840%
56) 1,1,2,2-Tetrachloroeth...	10.750	84	47474	5.671	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	113.400%
66) 1,2-Dichlorobenzene-d4	12.187	152	56845	6.124	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	122.400%#
Target Compounds						
5) Vinyl chloride	1.602	62	26403	2.327	ug/L	92
18) trans-1,2-Dichloroethene	3.351	96	1188	0.124	ug/L	90
22) cis-1,2-Dichloroethene	4.657	96	53416	4.872	ug/L	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU110824\
Data File : VU061551.D
Acq On : 08 Nov 2024 16:04
Operator : MD/SY
Sample : P4743-15DL 100X
Misc : 25mL/MSVOA_U/WATER
ALS Vial : 17 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
H46X1DL

Quant Time: Nov 09 00:21:15 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR102324WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Sat Nov 09 00:17:10 2024
Response via : Initial Calibration



Abundance Scan 96 (1.599 min): VU061537.D\data.ms (-88)



#5

Vinyl chloride

Concen: 2.327 ug/L

RT: 1.602 min Scan# 97

Delta R.T. 0.003 min

Lab File: VU061551.D

Acq: 08 Nov 2024 16:04


Instrument :

MSVOA_U

ClientSampleId :

H46X1DL

Abundance Scan 97 (1.602 min): VU061551.D\data.ms




Tgt Ion: 62 Resp: 26403

Ion Ratio Lower Upper


62 100

64 36.9 22.6 42.0


Abundance



Abundance Scan 97 (1.602 min): VU061551.D\data.ms (-3)



Abundance Scan 640 (3.348 min): VU061537.D\data.ms (-62)



#18

trans-1,2-Dichloroethene

Concen: 0.124 ug/L

RT: 3.351 min Scan# 641

Delta R.T. 0.003 min

Lab File: VU061551.D

Acq: 08 Nov 2024 16:04

Tgt Ion: 96 Resp: 1188


Ion Ratio Lower Upper

96 100


61 127.1 97.9 181.7

98 58.3 46.2 85.8


Abundance Scan 641 (3.351 min): VU061551.D\data.ms




Abundance



Abundance Scan 641 (3.351 min): VU061551.D\data.ms (-54)





#22
 cis-1,2-Dichloroethene
 Concen: 4.872 ug/L
 RT: 4.657 min Scan# 10
 Delta R.T. 0.000 min
 Lab File: VU061551.D
 Acq: 08 Nov 2024 16:04

Instrument :
 MSVOA_U
 ClientSampleId :
 H46X1DL

Tgt Ion:	96	Resp:	53416
Ion	Ratio	Lower	Upper
96	100		
61	121.4	88.1	163.5
98	65.1	45.0	83.6

