

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU111123\
 Data File : VU056213.D
 Acq On : 11 Nov 2023 13:38
 Operator : MD/SY
 Sample : 05340-09
 Misc : 25.0mL/MSVOA_U/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 GCDL4

Quant Time: Nov 11 20:21:27 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR110723WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Sat Nov 11 20:19:10 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	6.245	114	375021	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.415	117	373620	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.807	152	168676	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.596	65	88282	3.793	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	75.800%
7) Chloroethane-d5	1.911	69	76694	4.855	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	97.000%
11) 1,1-Dichloroethene-d2	2.563	65	42512	4.145	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	83.000%
20) 2-Butanone-d5	4.621	46	264587	69.285	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	138.580%#
24) Chloroform-d	5.055	84	220518	4.977	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	99.600%
26) 1,2-Dichloroethane-d4	5.698	65	105274	5.396	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	108.000%
32) Benzene-d6	5.721	84	427079	4.759	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	95.200%
36) 1,2-Dichloropropane-d6	6.685	67	135331	5.123	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	102.400%
41) Toluene-d8	7.894	98	359739	4.375	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	87.400%
43) trans-1,3-Dichloroprop...	8.177	79	47851	4.739	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	94.800%
46) 2-Hexanone-d5	8.627	63	224093	67.715	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	135.420%#
56) 1,1,2,2-Tetrachloroeth...	10.750	84	106999	5.675	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	113.600%
66) 1,2-Dichlorobenzene-d4	12.190	152	135780	5.220	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	104.400%
Target Compounds						
					Qvalue	
13) Acetone	2.634	43	25353	9.002	ug/L	100
14) Carbon disulfide	2.792	76	14744	0.180	ug/L	99
25) Chloroform	5.084	83	44050	0.887	ug/L	96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU111123\
Data File : VU056213.D
Acq On : 11 Nov 2023 13:38
Operator : MD/SY
Sample : 05340-09
Misc : 25.0mL/MSVOA_U/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
GCDL4

Quant Time: Nov 11 20:21:27 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR110723WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Sat Nov 11 20:19:10 2023
Response via : Initial Calibration





#13

Acetone

Concen: 9.002 ug/L

RT: 2.634 min Scan# 41

Delta R.T. -0.003 min

Lab File: VU056213.D

Acq: 11 Nov 2023 13:38

Instrument :

MSVOA_U

ClientSampleId :





GCDL4

Tgt Ion: 43 Resp: 25353

Ion Ratio Lower Upper

43 100

58 37.0 0.0 74.4



#14

Carbon disulfide

Concen: 0.180 ug/L

RT: 2.792 min Scan# 467

Delta R.T. 0.003 min

Lab File: VU056213.D




Acq: 11 Nov 2023 13:38


Tgt Ion: 76 Resp: 14744

Ion Ratio Lower Upper

76 100

78 9.1 7.0 10.6





#25
 Chloroform
 Concen: 0.887 ug/L
 RT: 5.084 min Scan# 11
 Delta R.T. 0.003 min
 Lab File: VU056213.D
 Acq: 11 Nov 2023 13:38

Instrument :
 MSVOA_U
 ClientSampleId :
 GCDL4

Tgt Ion: 83 Resp: 44050
 Ion Ratio Lower Upper
 83 100
 85 67.5 45.3 84.1

