

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU111224\
Data File : VU061603.D
Acq On : 12 Nov 2024 14:44
Operator : MD/SY
Sample : P4635-01
Misc : 25mL/MSVOA_U/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
PT-THM-WS

Integration Parameters: rteint.p

Integrator: RTE

Smoothing : ON

Sampling : 1

Start Thrs: 0.2

Stop Thrs : 0

Filtering: 5

Min Area: 3 % of largest Peak

Max Peaks: 100

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\524U111224DW.M

Title : METHOD 524.2 VOLATILES DRINKING WATER

Signal : TIC: VU061603.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	2.640	409	420	435	rBV	25295	44791	2.76%	0.790%
2	4.634	1025	1040	1064	rBV2	10068	32927	2.03%	0.581%
3	5.078	1161	1178	1220	rBV	730256	1621974	100.00%	28.615%
4	6.110	1486	1499	1524	rBV	44118	90662	5.59%	1.599%
5	7.097	1791	1806	1831	rBV	674666	1242192	76.59%	21.915%
6	8.801	2321	2336	2367	rBV	897552	1547209	95.39%	27.296%
7	10.283	2778	2797	2823	rBV	551372	943556	58.17%	16.646%
8	10.630	2892	2905	2925	rBV2	36217	64912	4.00%	1.145%
9	12.190	3379	3390	3409	rBV	45072	79995	4.93%	1.411%




Sum of corrected areas: 5668218

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU111224\
Data File : VU061603.D
Acq On : 12 Nov 2024 14:44
Operator : MD/SY
Sample : P4635-01
Misc : 25mL/MSVOA_U/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
PT-THM-WS

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\524U111224DW.M
Quant Title : METHOD 524.2 VOLATILES DRINKING WATER

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU111224\
Data File : VU061603.D
Acq On : 12 Nov 2024 14:44
Operator : MD/SY
Sample : P4635-01
Misc : 25mL/MSVOA_U/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
PT-THM-WS

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\524U111224DW.M
Quant Title : METHOD 524.2 VOLATILES DRINKING WATER

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU111224\
Data File : VU061603.D
Acq On : 12 Nov 2024 14:44
Operator : MD/SY
Sample : P4635-01
Misc : 25mL/MSVOA_U/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
PT-THM-WS

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\524U111224DW.M
Quant Title : METHOD 524.2 VOLATILES DRINKING WATER

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	#	RT	Resp	Conc
------------------	----	---------	-------	----------	---	----	------	------