

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_U\Data\VU111324\  
 Data File : VU061625.D  
 Acq On : 13 Nov 2024 15:38  
 Operator : MD/SY  
 Sample : P4747-20  
 Misc : 25mL/MSVOA\_U/WATER  
 ALS Vial : 16 Sample Multiplier: 1

Instrument :  
 MSVOA\_U  
 ClientSampleId :  
 GCPD7

Quant Time: Nov 14 01:30:29 2024  
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_U\Method\SFAMUTR111324WMA.M  
 Quant Title : TRACE VOA SFAM1.0  
 QLast Update : Thu Nov 14 00:27:20 2024  
 Response via : Initial Calibration


| Compound                      | R.T.   | QIon  | Response | Conc     | Units  | Dev(Min) |
|-------------------------------|--------|-------|----------|----------|--------|----------|
| -----                         |        |       |          |          |        |          |
| Internal Standards            |        |       |          |          |        |          |
| 1) 1,4-Difluorobenzene        | 6.242  | 114   | 169182   | 5.000    | ug/L   | 0.00     |
| 28) Chlorobenzene-d5          | 9.412  | 117   | 159358   | 5.000    | ug/L   | 0.00     |
| 58) 1,4-Dichlorobenzene-d4    | 11.804 | 152   | 68567    | 5.000    | ug/L   | 0.00     |
|                               |        |       |          |          |        |          |
| System Monitoring Compounds   |        |       |          |          |        |          |
| 4) Vinyl Chloride-d3          | 1.595  | 65    | 40613    | 3.715    | ug/L   | 0.00     |
| Spiked Amount                 | 5.000  | Range | 40 - 130 | Recovery | =      | 74.400%  |
| 7) Chloroethane-d5            | 1.911  | 69    | 46589    | 4.992    | ug/L   | 0.00     |
| Spiked Amount                 | 5.000  | Range | 65 - 130 | Recovery | =      | 99.800%  |
| 11) 1,1-Dichloroethene-d2     | 2.560  | 65    | 19854    | 4.048    | ug/L   | 0.00     |
| Spiked Amount                 | 5.000  | Range | 60 - 125 | Recovery | =      | 81.000%  |
| 20) 2-Butanone-d5             | 4.624  | 46    | 116170   | 50.070   | ug/L   | 0.00     |
| Spiked Amount                 | 50.000 | Range | 40 - 130 | Recovery | =      | 100.140% |
| 24) Chloroform-d              | 5.052  | 84    | 98836    | 4.549    | ug/L   | 0.00     |
| Spiked Amount                 | 5.000  | Range | 70 - 125 | Recovery | =      | 91.000%  |
| 26) 1,2-Dichloroethane-d4     | 5.692  | 65    | 49667    | 4.763    | ug/L   | 0.00     |
| Spiked Amount                 | 5.000  | Range | 70 - 130 | Recovery | =      | 95.200%  |
| 32) Benzene-d6                | 5.717  | 84    | 204943   | 4.649    | ug/L   | 0.00     |
| Spiked Amount                 | 5.000  | Range | 70 - 125 | Recovery | =      | 93.000%  |
| 36) 1,2-Dichloropropane-d6    | 6.682  | 67    | 63154    | 4.857    | ug/L   | 0.00     |
| Spiked Amount                 | 5.000  | Range | 60 - 140 | Recovery | =      | 97.200%  |
| 41) Toluene-d8                | 7.891  | 98    | 177368   | 4.316    | ug/L   | 0.00     |
| Spiked Amount                 | 5.000  | Range | 70 - 130 | Recovery | =      | 86.400%  |
| 43) trans-1,3-Dichloroprop... | 8.177  | 79    | 18004    | 3.759    | ug/L   | 0.00     |
| Spiked Amount                 | 5.000  | Range | 55 - 130 | Recovery | =      | 75.200%  |
| 46) 2-Hexanone-d5             | 8.627  | 63    | 95091    | 50.243   | ug/L   | 0.00     |
| Spiked Amount                 | 50.000 | Range | 45 - 130 | Recovery | =      | 100.480% |
| 56) 1,1,2,2-Tetrachloroeth... | 10.746 | 84    | 48841    | 4.765    | ug/L   | 0.00     |
| Spiked Amount                 | 5.000  | Range | 65 - 120 | Recovery | =      | 95.200%  |
| 66) 1,2-Dichlorobenzene-d4    | 12.187 | 152   | 59676    | 4.887    | ug/L   | 0.00     |
| Spiked Amount                 | 5.000  | Range | 80 - 120 | Recovery | =      | 97.800%  |
|                               |        |       |          |          |        |          |
| Target Compounds              |        |       |          |          | Qvalue |          |
| 13) Acetone                   | 2.644  | 43    | 13378    | 9.152    | ug/L   | 100      |
| -----                         |        |       |          |          |        |          |


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA\_U\Data\VU111324\  
Data File : VU061625.D  
Acq On : 13 Nov 2024 15:38  
Operator : MD/SY  
Sample : P4747-20  
Misc : 25mL/MSVOA\_U/WATER  
ALS Vial : 16 Sample Multiplier: 1

Instrument :  
MSVOA\_U  
ClientSampleId :  
GCPD7


Quant Time: Nov 14 01:30:29 2024  
Quant Method : Z:\voasrv\HPCHEM1\MSVOA\_U\Method\SFAMUTR111324WMA.M  
Quant Title : TRACE VOA SFAM1.0  
QLast Update : Thu Nov 14 00:27:20 2024  
Response via : Initial Calibration





#13  
 Acetone  
 Concen: 9.152 ug/L  
 RT: 2.644 min Scan# 42  
 Delta R.T. -0.003 min  
 Lab File: VU061625.D  
 Acq: 13 Nov 2024 15:38

Instrument :  
 MSVOA\_U  
 ClientSampleId :  
 GCPD7



Tgt Ion: 43 Resp: 13378  
 Ion Ratio Lower Upper  
 43 100  
 58 34.7 0.0 69.8

