

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU111424\
 Data File : VU061698.D
 Acq On : 15 Nov 2024 02:44
 Operator : MD/SY
 Sample : P4804-23DL 5X
 Misc : 25mL/MSVOA_U/WATER
 ALS Vial : 44 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 H46T7DL

Quant Time: Nov 15 03:25:21 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR111324WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Fri Nov 15 03:17:58 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	6.242	114	170539	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.409	117	152363	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.804	152	65799	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.596	65	45793	4.156	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	83.200%
7) Chloroethane-d5	1.911	69	45316	4.817	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	96.400%
11) 1,1-Dichloroethene-d2	2.560	65	19873	4.020	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	80.400%
20) 2-Butanone-d5	4.628	46	121006	51.740	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	103.480%
24) Chloroform-d	5.052	84	101387	4.629	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	92.600%
26) 1,2-Dichloroethane-d4	5.692	65	52168	4.963	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	99.200%
32) Benzene-d6	5.718	84	208450	4.945	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	99.000%
36) 1,2-Dichloropropane-d6	6.679	67	64524	5.190	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	103.800%
41) Toluene-d8	7.891	98	177681	4.523	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	90.400%
43) trans-1,3-Dichloroprop...	8.174	79	19708	4.304	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	86.000%
46) 2-Hexanone-d5	8.631	63	98575	54.476	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	108.960%
56) 1,1,2,2-Tetrachloroeth...	10.746	84	49768	5.078	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	101.600%
66) 1,2-Dichlorobenzene-d4	12.187	152	57185	4.880	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	97.600%
Target Compounds						
5) Vinyl chloride	1.602	62	8111	0.639	ug/L	Qvalue # 1
17) Methyl tert-butyl Ether	3.354	73	397178	15.741	ug/L	100
18) trans-1,2-Dichloroethene	3.348	96	23132	2.048	ug/L	97
22) cis-1,2-Dichloroethene	4.657	96	115323	9.056	ug/L	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU111424\
Data File : VU061698.D
Acq On : 15 Nov 2024 02:44
Operator : MD/SY
Sample : P4804-23DL 5X
Misc : 25mL/MSVOA_U/WATER
ALS Vial : 44 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
H46T7DL

Quant Time: Nov 15 03:25:21 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR111324WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Fri Nov 15 03:17:58 2024
Response via : Initial Calibration









Vinyl chloride
 Concen: 0.639 ug/L
 RT: 1.602 min Scan# 97
 Delta R.T. 0.000 min
 Lab File: VU061698.D
 Acq: 15 Nov 2024 02:44




Instrument :
 MSVOA_U
 ClientSampleId :
 H46T7DL


Tgt Ion: 62 Resp: 8111
 Ion Ratio Lower Upper
 62 100
 64 270.7 23.7 44.1#



Methyl tert-butyl Ether
 Concen: 15.741 ug/L
 RT: 3.354 min Scan# 642
 Delta R.T. 0.000 min
 Lab File: VU061698.D
 Acq: 15 Nov 2024 02:44

Tgt Ion: 73 Resp: 397178
 Ion Ratio Lower Upper
 73 100
 43 17.5 14.2 21.4
 57 21.0 16.9 25.3









#18
trans-1,2-Dichloroethene
Concen: 2.048 ug/L
RT: 3.348 min Scan# 640
Delta R.T. 0.000 min
Lab File: VU061698.D
Acq: 15 Nov 2024 02:44

Instrument :
MSVOA_U
ClientSampleId :
H46T7DL

Tgt Ion: 96 Resp: 23132
Ion Ratio Lower Upper
96 100
61 131.0 94.1 174.8
98 64.7 43.2 80.2



#22
cis-1,2-Dichloroethene
Concen: 9.056 ug/L
RT: 4.657 min Scan# 1047
Delta R.T. 0.000 min
Lab File: VU061698.D
Acq: 15 Nov 2024 02:44

Tgt Ion: 96 Resp: 115323
Ion Ratio Lower Upper
96 100
61 118.4 85.6 159.0
98 64.4 45.6 84.8

