

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU111424\
 Data File : VU061700.D
 Acq On : 15 Nov 2024 03:33
 Operator : MD/SY
 Sample : P4804-21
 Misc : 25mL/MSVOA_U/WATER
 ALS Vial : 46 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 H46T5

Quant Time: Nov 15 05:11:22 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR111324WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Fri Nov 15 03:17:58 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	6.242	114	183758	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.409	117	175391	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.804	152	77835	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.596	65	50345	4.240	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	84.800%
7) Chloroethane-d5	1.911	69	48281	4.763	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	95.200%
11) 1,1-Dichloroethene-d2	2.563	65	24050	4.515	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	90.200%
20) 2-Butanone-d5	4.624	46	131276	52.093	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	104.180%
24) Chloroform-d	5.052	84	110662	4.689	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	93.800%
26) 1,2-Dichloroethane-d4	5.692	65	57939	5.116	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	102.400%
32) Benzene-d6	5.718	84	236628	4.877	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	97.600%
36) 1,2-Dichloropropane-d6	6.682	67	71811	5.018	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	100.400%
41) Toluene-d8	7.891	98	212142	4.691	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	93.800%
43) trans-1,3-Dichloroprop...	8.174	79	22553	4.278	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	85.600%
46) 2-Hexanone-d5	8.631	63	109462	52.550	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	105.100%
56) 1,1,2,2-Tetrachloroeth...	10.746	84	54774	4.855	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	97.200%
66) 1,2-Dichlorobenzene-d4	12.184	152	70235	5.066	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	101.400%
Target Compounds						
5) Vinyl chloride	1.602	62	68730	5.027	ug/L	69
17) Methyl tert-butyl Ether	3.354	73	223749	8.230	ug/L	99
18) trans-1,2-Dichloroethene	3.345	96	150247	12.348	ug/L	98
19) 1,1-Dichloroethane	3.862	63	20811	0.938	ug/L	94
22) cis-1,2-Dichloroethene	4.653	96	506537	36.914	ug/L	99
33) Benzene	5.769	78	13013	0.245	ug/L	100
34) Trichloroethene	6.534	95	68837	4.803	ug/L	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU111424\
Data File : VU061700.D
Acq On : 15 Nov 2024 03:33
Operator : MD/SY
Sample : P4804-21
Misc : 25mL/MSVOA_U/WATER
ALS Vial : 46 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
H46T5

Quant Time: Nov 15 05:11:22 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR111324WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Fri Nov 15 03:17:58 2024
Response via : Initial Calibration





#5

Vinyl chloride

Concen: 5.027 ug/L

RT: 1.602 min Scan# 97

Delta R.T. 0.000 min

Lab File: VU061700.D

Acq: 15 Nov 2024 03:33

Instrument :

MSVOA_U

ClientSampleId :





H46T5

Tgt Ion: 62 Resp: 68730

Ion Ratio Lower Upper

62 100

64 51.7 23.7 44.1#



#17

Methyl tert-butyl Ether

Concen: 8.230 ug/L

RT: 3.354 min Scan# 642

Delta R.T. 0.000 min

Lab File: VU061700.D

Acq: 15 Nov 2024 03:33




Tgt Ion: 73 Resp: 223749


Ion Ratio Lower Upper

73 100

43 17.4 14.2 21.4

57 21.3 16.9 25.3









#18
trans-1,2-Dichloroethene
Concen: 12.348 ug/L
RT: 3.345 min Scan# 63
Delta R.T. -0.003 min
Lab File: VU061700.D
Acq: 15 Nov 2024 03:33




Instrument :
MSVOA_U
ClientSampleId :
H46T5


Tgt Ion: 96 Resp: 150247
Ion Ratio Lower Upper
96 100
61 132.6 94.1 174.8
98 64.7 43.2 80.2



#19
1,1-Dichloroethane
Concen: 0.938 ug/L
RT: 3.862 min Scan# 800
Delta R.T. 0.003 min
Lab File: VU061700.D
Acq: 15 Nov 2024 03:33


Tgt Ion: 63 Resp: 20811
Ion Ratio Lower Upper
63 100
65 29.3 23.4 43.4
83 14.3 9.6 17.8








#22
cis-1,2-Dichloroethene
Concen: 36.914 ug/L
RT: 4.653 min Scan# 1046
Delta R.T. -0.003 min
Lab File: VU061700.D
Acq: 15 Nov 2024 03:33

Instrument :
MSVOA_U
ClientSampleId :
H46T5







Tgt Ion: 96 Resp: 506537
Ion Ratio Lower Upper
96 100
61 121.1 85.6 159.0
98 63.7 45.6 84.8



#33
Benzene
Concen: 0.245 ug/L
RT: 5.769 min Scan# 1393
Delta R.T. 0.003 min
Lab File: VU061700.D
Acq: 15 Nov 2024 03:33


Tgt Ion: 78 Resp: 13013





#34
 Trichloroethene
 Concen: 4.803 ug/L
 RT: 6.534 min Scan# 16
 Delta R.T. 0.000 min
 Lab File: VU061700.D
 Acq: 15 Nov 2024 03:33

Instrument :
 MSVOA_U
 ClientSampleId :
 H46T5



Tgt Ion:	95	Resp:	68837
Ion	Ratio	Lower	Upper
95	100		
97	63.9	43.5	80.9
132	96.0	65.2	121.0
130	99.0	67.5	125.3

