

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU111824\
 Data File : VU061816.D
 Acq On : 18 Nov 2024 16:29
 Operator : MD/SY
 Sample : P4829-17DL 5X
 Misc : 25mL/MSVOA_U/WATER
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :

Quant Time: Nov 19 00:20:57 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR111324WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Tue Nov 19 00:15:47 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	6.242	114	135506	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.409	117	127613	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.804	152	54363	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.595	65	36142	4.128	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	82.600%
7) Chloroethane-d5	1.907	69	33925	4.539	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	90.800%
11) 1,1-Dichloroethene-d2	2.557	65	15836	4.031	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	80.600%
20) 2-Butanone-d5	4.615	46	105495	56.769	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	113.540%
24) Chloroform-d	5.052	84	89050	5.117	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	102.400%
26) 1,2-Dichloroethane-d4	5.692	65	46079	5.517	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	110.400%
32) Benzene-d6	5.718	84	179608	5.087	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	101.800%
36) 1,2-Dichloropropane-d6	6.682	67	57612	5.533	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	110.600%
41) Toluene-d8	7.891	98	155524	4.726	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	94.600%
43) trans-1,3-Dichloroprop...	8.174	79	17794	4.639	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	92.800%
46) 2-Hexanone-d5	8.624	63	83078	54.816	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	109.640%
56) 1,1,2,2-Tetrachloroeth...	10.746	84	46124	5.619	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	112.400%
66) 1,2-Dichlorobenzene-d4	12.187	152	55627	5.745	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	115.000%
Target Compounds						Qvalue
37) 1,2-Dichloropropane	6.682	63	5833	0.595	ug/L #	89
47) Tetrachloroethene	8.547	164	51199	6.533	ug/L	97
49) Dibromochloromethane	8.544	129	50593	6.755	ug/L #	10
61) 1,2,3-Trichloropropane	11.804	75	6637	1.296	ug/L #	65


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU111824\
Data File : VU061816.D
Acq On : 18 Nov 2024 16:29
Operator : MD/SY
Sample : P4829-17DL 5X
Misc : 25mL/MSVOA_U/WATER
ALS Vial : 16 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :

Quant Time: Nov 19 00:20:57 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR111324WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Tue Nov 19 00:15:47 2024
Response via : Initial Calibration









#37
1,2-Dichloropropane
Concen: 0.595 ug/L
RT: 6.682 min Scan# 1
Delta R.T. -0.100 min
Lab File: VU061816.D
Acq: 18 Nov 2024 16:29




Instrument :
MSVOA_U
ClientSampleId :


Tgt Ion: 63 Resp: 5833
Ion Ratio Lower Upper
63 100
112 0.0 3.0 4.4#



#47
Tetrachloroethene
Concen: 6.533 ug/L
RT: 8.547 min Scan# 2257
Delta R.T. 0.003 min
Lab File: VU061816.D
Acq: 18 Nov 2024 16:29

Tgt Ion:164 Resp: 51199
Ion Ratio Lower Upper
164 100
129 97.2 71.7 133.3
131 96.3 68.2 126.6
166 125.7 89.9 167.0





#49

Dibromochloromethane

Concen: 6.755 ug/L

RT: 8.544 min Scan# 21

Delta R.T. -0.257 min

Lab File: VU061816.D

Acq: 18 Nov 2024 16:29

Instrument :

MSVOA_U





ClientSampleId :

Tgt Ion:129 Resp: 50593

Ion Ratio Lower Upper

129 100

127 0.0 55.1 102.3#



#61

1,2,3-Trichloropropane

Concen: 1.296 ug/L

RT: 11.804 min Scan# 3270

Delta R.T. 0.990 min

Lab File: VU061816.D

Acq: 18 Nov 2024 16:29

Tgt Ion: 75 Resp: 6637

Ion Ratio Lower Upper

75 100

110 1.7 31.3 46.9#

77 34.3 26.0 39.0

