

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU112024\
 Data File : VU061867.D
 Acq On : 20 Nov 2024 15:40
 Operator : MD/SY
 Sample : P4803-09
 Misc : 25mL/MSVOA_U/WATER
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 VHBLK002

Quant Time: Nov 21 01:29:10 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR112024WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Thu Nov 21 01:18:14 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.242	114	164443	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.412	117	153104	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.808	152	63681	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.593	65	52460	6.504	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	130.000%
7) Chloroethane-d5	1.908	69	41863	5.867	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	117.400%
11) 1,1-Dichloroethene-d2	2.560	65	23529	7.301	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	146.000%#
20) 2-Butanone-d5	4.631	46	101527	40.082	ug/L	0.02
Spiked Amount	50.000	Range	40 - 130	Recovery	=	80.160%
24) Chloroform-d	5.052	84	97606	4.960	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	99.200%
26) 1,2-Dichloroethane-d4	5.692	65	50012	4.938	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	98.800%
32) Benzene-d6	5.718	84	190488	6.386	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	127.800%#
36) 1,2-Dichloropropane-d6	6.682	67	60856	6.004	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	120.000%
41) Toluene-d8	7.891	98	167995	6.752	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	135.000%#
43) trans-1,3-Dichloroprop...	8.174	79	18301	4.877	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	97.600%
46) 2-Hexanone-d5	8.631	63	67573	39.453	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	78.900%
56) 1,1,2,2-Tetrachloroeth...	10.746	84	43441	4.289	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	85.800%
66) 1,2-Dichlorobenzene-d4	12.187	152	50275	5.339	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	106.800%
Target Compounds					Qvalue	
16) Methylene chloride	3.039	84	4105	0.310	ug/L	88

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU112024\
Data File : VU061867.D
Acq On : 20 Nov 2024 15:40
Operator : MD/SY
Sample : P4803-09
Misc : 25mL/MSVOA_U/WATER
ALS Vial : 14 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
VHBLK002

Quant Time: Nov 21 01:29:10 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR112024WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Thu Nov 21 01:18:14 2024
Response via : Initial Calibration

