

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU112224\
 Data File : VU061965.D
 Acq On : 22 Nov 2024 12:25
 Operator : MD/SY
 Sample : P4875-16
 Misc : 25mL/MSVOA_U/WATER
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 MSVOA_U
 ClientSampleId :
 E2A03

Quant Time: Nov 22 22:44:18 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR112024WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Fri Nov 22 22:40:46 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	6.242	114	128635	5.000	ug/L	0.00
28) Chlorobenzene-d5	9.409	117	123672	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.804	152	55433	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.595	65	31933	5.061	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	101.200%
7) Chloroethane-d5	1.907	69	25525	4.573	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	91.400%
11) 1,1-Dichloroethene-d2	2.560	65	15243	6.047	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	121.000%
20) 2-Butanone-d5	4.618	46	71414	36.042	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	72.080%
24) Chloroform-d	5.052	84	68715	4.464	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	89.200%
26) 1,2-Dichloroethane-d4	5.692	65	34908	4.406	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	88.200%
32) Benzene-d6	5.717	84	133759	5.551	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	111.000%
36) 1,2-Dichloropropane-d6	6.679	67	43056	5.259	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	105.200%
41) Toluene-d8	7.891	98	117328	5.838	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	116.800%
43) trans-1,3-Dichloroprop...	8.174	79	14706	4.852	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	97.000%
46) 2-Hexanone-d5	8.624	63	48358	34.954	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	69.900%
56) 1,1,2,2-Tetrachloroeth...	10.746	84	31776	3.884	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	77.600%
66) 1,2-Dichlorobenzene-d4	12.187	152	41389	5.049	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	101.000%

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_U\Data\VU112224\
Data File : VU061965.D
Acq On : 22 Nov 2024 12:25
Operator : MD/SY
Sample : P4875-16
Misc : 25mL/MSVOA_U/WATER
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSVOA_U
ClientSampleId :
E2A03

Quant Time: Nov 22 22:44:18 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_U\Method\SFAMUTR112024WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Fri Nov 22 22:40:46 2024
Response via : Initial Calibration

